



floresymuchomas

VONDOM

CONTRAC



Grupo oroinciensoymirra



oroinciensoymirra

floresymuchomas.com

COLLECTIONS

128	REVOLUTION
16	AFRICA
52	BROOKLYN
58	DELTA
98	FAZ
116	FAZ BAR
112	FRAME
114	FIESTA
122	GATSBY
28	IBIZA
72	KES
42	KIMONO
46	LOVE
108	MARI-SOL
120	MARQUIS
68	PEDRERA
34	QUARTZ
64	SABINAS
84	SOLID
88	SPRITZ
94	VASES
118	VELA
76	VOXEL
24	WALL STREET

PRODUCT GUIDE CATEGORIES

128	REVOLUTION
144	CHAIRS
154	SOFA
156	STOOLS
159	SUN LOUNGERS
161	TABLES
178	COUNTERS
184	LAMPS
187	FINISHES

MANTA

BY EUGENI QUITLLET



MANTA **SWIVEL & SWIVEL WITH CASTERS & SWIVEL WOODEN LEGS & CANTILEVER & FRAME TABLE**
white & melon & black & ecru



MANTA **SWIVEL WOODEN LEGS & FRAME TABLE**
wood 1 base + black seat & black base + hpl black



MANTA **SWIVEL & MARI-SOL TABLE**
black base + white seat & white base + hpl white



MANTA **SWIVEL CHAIR** & FRAME **TABLE**
black base + tortora seat & black base + hpl black



MANTA **CANTILEVER CHAIR** & FRAME **TABLE**
black base + ecru seat & black base + hpl black

INCASSO

BY ARCHIRIVOLTO DESIGN



INCASSO **WOODEN SWIVEL CHAIR & SWIVEL CHAIR WITH CASTERS & SWIVEL CHAIR**
opaque black & crystal & fume & opaque white & amber



INCASSO **SWIVEL CHAIR WITH CASTERS** & FRAME **TABLE**
white base + opaque white seat & white table base + white hpl top



INCASSO **SWIVEL CHAIR** & MARI-SOL **TABLE**
black base + crystal seat & black base + black hpl top



INCASSO **WOODEN SWIVEL CHAIR**
wood 1 + black + ambar seat



INCASSO **WOODEN SWIVEL CHAIR** & VELA **TABLE**
wood 2 base + opaque black seat & black base + black hpl top

AFRICA

BY EUGENI QUITLET



AFRICA **ARMCHAIR & CHAIR & STOOL & MARI-SOL TABLE**
white & ecru



AFRICA **LOUNGE CHAIR** & MARI-SOL **TABLE D59S**
cream + duna 1009 + hpl solid core crema



AFRICA **LOUNGE CHAIR** & MARI-SOL **TABLE**
black + krollet 1921 & black



AFRICA **ARMCHAIR** & MARI-SOL **TABLE**
white



AFRICA **SUN LOUNGER**
white



WALL STREET

BY EUGENI QUITLLET



WALL-STREET **ARMCHAIR** & MARI-SOL **TABLE**
white



IBIZA

BY EUGENI QUITLLET



IBIZA **SUN LOUNGER & LOUNGE CHAIR & CHAIR
& ARMCHAIR & CHAIR WITH ARMS**
milos & cala



reddot winner 2020



IBIZA **LOUNGE CHAIR & SUN LOUNGER** & MARI-SOL **TABLE**
pickle & white



IBIZA **SUN LOUNGER**
milos



QUARTZ

BY RAMÓN ESTEVE



QUARTZ **CHAIR** & **FOLDING CHAIR** & **CHAIR WITH ARMS**
white & black & bronze



QUARTZ **FOLDING CHAIR**
black



Hotel
QUARTZ **FOLDING CHAIR**
black



QUARTZ **TABLE**
white, ecru & black



Terrace
QUARTZ **CHAIR & TABLE**
black & white



QUARTZ **CHAIR & TABLE**
black



Private House
QUARTZ **CHAIR & FRAME TABLE** & ULM **DAYBED**
white & lacq, white

KIMONO

BY RAMÓN ESTEVE



KIMONO **CHAIR & FAZ TABLE**
cristal & black



KIMONO **CHAIR**
white & cristal



KIMONO **CHAIR**
amber

LOVE

BY EUGENI QUITLLET



LOVE **CHAIR**
manta



reddot winner 2020



LOVE MINI

BY EUGENI QUITLET



LOVE **MINI CHAIR**
melon & almond & navy

BROOKLYN

BY EUGENI QUITLLET



BROOKLYN **CHAIR & STOOLS** & MARI-SOL **TABLE**
black & black + glass top



BROOKLYN **STOOL**
black



BROOKLYN **STOOLS** & MARI-SOL **TABLE**
black



DELTA

BY JORGE PENSI



DELTA **CHAIR & TABLE**
white & white base + solid core white



DELTA TABLE
white + glass & black + black hpl & black hpl



DELTA TABLE & CHAIR
white table base + glass top & white



SABINAS

BY JAVIER MARISCAL



SABINAS **ARMCHAIR** & MARI-SOL **TABLE**
red & black



PEDRERA

BY EUGENI QUITLLET



Batel Auditorium, Spain
 PEDRERA **ARMCHAIR** & MARI-SOL **TABLE**
 red & white + glass top



KES

BY GABRIELE + OSCAR BURATTI



KES **CHAIR & CHAIR WITH ARMS** & MARI-SOL **TABLE**
white



VOXEL

BY KARIM RASHID



VOXEL **CHAIR**
red



VOXEL **STOOL & CHAIR** & FAZ **COUNTER** & TABLE
black & lacquered black



VOXEL **ARMCHAIR & SUN LOUNGER** & **CHAIR & STOOL**
white



VOXEL MINI

BY KARIM RASHID



VOXEL **MINI CHAIR**
white, red and almond

SOLID

BY STEFANO GIOVANNONI



SOLID **ARMCHAIR & CHAIR & TABLE**
white



SPRITZ

BY ARCHIRIVOLTO DESIN



SPRITZ **SUN LOUNGER & LOW TABLE**
ecru



SPRITZ **SOFA & LOUNGE CHAIR & COFFEE TABLE**
white



SPRITZ **STOOL & TABLE**
white



VASES

BY ESTUDI{H}AC



VASES **CHAIR & STOOL** & MARI-SOL **TABLE**
white



FAZ

BY RAMÓN ESTEVE



FAZ CHAIR & ARMCHAIR & TABLE
white & ecru



FAZ **CHAIR & ARMCHAIR** & FRAME **TABLE**
black



Restaurant, Spain
FAZ **CHAIR & TABLE**
black & inox. legs



FAZ **STOOL & TABLE**
black



FAZ **CHAIR & TABLE**
black



FAZ WOOD **CHAIR & ARMCHAIR & TABLE**
white + ash wood 2



FAZ WOOD **CHAIR & ARMCHAIR & STOOL & TABLE**
black + ash wood 2



MARI-SOL

BY EUGENI QUITLLET



AFRICA **ARMCHAIR** & MARI-SOL **TABLE**
white



FRAME

BY RAMÓN ESTEVE



FRAME **ARMCHAIR + DINNING TABLE**
ecru & lacquered white

FIESTA

BY ARCHIRIVOLTO DESIGN



FIESTA **COUNTER 120**
ice + rgbw



FIESTA **COUNTER & MOMMA STOOL**
ice

FAZ

BY RAMÓN ESTEVE



Hotel hall
FAZ **COUNTER** & VERTEX **STOOL** & FAZ **LAMP**
ice + rgbw

VELA

BY RAMÓN ESTEVE



VELA **CATERING COUNTER**
white + glass top + ice-bucket

MARQUIS


BY ESTUDI{H}AC



MARQUIS **TABLE LAMP**
clear

GATSBY

BY RAMÓN ESTEVE



GATSBY **PRISM TABLE LAMP** & **FAZ STOOL**
 ambar & clear & black



GATSBY **CYLINDRICAL TABLE LAMP** & FAZ **CHAIR & TABLE**
clear & ecru & black



reddot winner 2020



GATSBY **PRISM TABLE LAMP**
ambar & clear & black

REVOLUTION

Collections manufactured by
recovering and recycling plastics
from the Mediterranean

IBIZA
BY EUGENI QUITLLET



This is the first collection we launched by recovering and manufacturing recycled fishing nets from the Mediterranean Sea. Eugeni Quitllet was inspired by the idyllic natural surroundings of Ibiza, where he spent his childhood, to design a unique Mediterranean inspired collection. Wave shaped liked pieces that also simulate seashells.





BY EUGENI QUITLET
BROOKLYN



The Brooklyn Chair is available in three Revolution colours: Milos, Cala and Manta. We obtain Manta colour from recollecting and processing fishing nets from Mediterranean fishermen and transforming them into durable and recyclable products.



EVOLUTION



The Revolution's white is called Milos (on the right photo) and it is the result of transforming recycled plastics from our Mediterranean coasts. Our designs are created with a soul.





LOVE

BY EUGENI QUITLLET



Cala (on the right photo) is a bright but also warm colour obtained from processing plastics from the Balearic Islands and transforming them into lasting and recyclable products.



EVOLUTION

PEDRERA

BY EUGENI QUITLLET




In our VONDOM Revolution range, we manufacture our products using recycled plastic from the Mediterranean Sea, extending it's life and enhancing it's real value. Due to the origin of this raw material slight natural imperfections may appear, which gives every piece it's own personality and spirit.



EVOLUTION

PRICE LIST & **FEATURES**



Seat colour
Color de asiento

Metal Colour
Color del metal

Wood
Madera

Packaging
Embalaje

WHITE

BLACK

ECRU

TORTORA

MELON

WHITE

BLACK

2 uds. 22,4 kg 0,32 m³

2 uds. 49,4 lb 11,2 ft³

61 - 23½"

84 33½"

47 18½"

52 - 20½"

66 25"

MANTA cantilever armchair.

Seat colour
Color de asiento

Metal Colour
Color del metal

Wood
Madera

Packaging
Embalaje

WHITE

BLACK

ECRU

TORTORA

MELON

WHITE

BLACK

2 uds. 17,2 kg 0,33 m³

2 uds. 38 lb 11,8 ft³

61 - 23½"

84 33½"

47 18½"

52 - 20½"

66 25"

Ø70 - Ø27½"

MANTA swivel armchair.

Seat colour
Color de asiento

Metal Colour
Color del metal

Wood
Madera

Packaging
Embalaje

WHITE

BLACK

ECRU

TORTORA

MELON

WHITE

BLACK

2 uds. 15,1 kg 0,33 m³

2 uds. 33,2 lb 11,8 ft³

61 - 23½"

84 33½"

47 18½"

52 - 20½"

66 25"

Ø75 - Ø29½"

MANTA swivel armchair with caster.

Seat colour
Color de asiento

Metal Colour
Color del metal

Wood
Madera

Packaging
Embalaje

WHITE

BLACK

ECRU

TORTORA

MELON

WHITE

BLACK

WOOD 1

WOOD 2

2 uds. 18,6 kg 0,33 m³

2 uds. 41 lb 11,8 ft³

61 - 23½"

84 33½"

47 18½"

52 - 20½"

66 25"

Ø69 - Ø27¼"

MANTA swivel armchair with wooden legs.

144

Seat colour
Color de asiento

Metal Colour
Color del metal

Wood
Madera

Packaging
Embalaje

GLOSS WHITE

GLOSS BLACK

CLEAR CRISTAL

CLEAR AMBAR

CLEAR FUME

WHITE

BLACK

2 uds. 0 kg 0,32 m³

2 uds. 0 lb 11,2 ft³

61 - 24¼"

82 32¼"

48 18½"

58 - 22¾"

68 26¾"

INCASSO armchair.

Seat colour
Color de asiento

Metal Colour
Color del metal

Wood
Madera

Packaging
Embalaje

GLOSS WHITE

GLOSS BLACK

CLEAR CRISTAL

CLEAR AMBAR

CLEAR FUME

WHITE

BLACK

2 uds. 17,2 kg 0,14 m³

2 uds. 38 lb 5 ft³

61 - 24¼"

82 32¼"

48 18½"

58 - 22¾"

68 26¾"

Ø70 - Ø27½"

INCASSO swivel armchair.

Seat colour
Color de asiento

Metal Colour
Color del metal

Wood
Madera

Packaging
Embalaje

GLOSS WHITE

GLOSS BLACK

CLEAR CRISTAL

CLEAR AMBAR

CLEAR FUME

WHITE

BLACK

2 uds. 15,1 kg 0,14 m³

2 uds. 33,2 lb 5 ft³

61 - 24¼"

82 32¼"

48 18½"

58 - 22¾"

68 26¾"

Ø75 - Ø29½"

INCASSO swivel armchair with caster.

Seat colour
Color de asiento

Metal Colour
Color del metal

Wood
Madera

Packaging
Embalaje

GLOSS WHITE

GLOSS BLACK

CLEAR CRISTAL

CLEAR AMBAR

CLEAR FUME

WHITE

BLACK

WOOD 1

WOOD 2

2 uds. 18,6 kg 0,14 m³

2 uds. 41 lb 5 ft³

61 - 24¼"

82 32¼"

48 18½"

58 - 22¾"

68 26¾"

Ø69 - Ø27¼"

INCASSO swivel armchair with wooden legs.

145

A modern, black, geometric chair with a faceted, angular design. It features four light-colored wooden legs and a black metal frame. The chair is positioned on a white background.

FAZ WOOD armchair.

Basic. Básico.

Lacquered. Lacado.

Configuration	Width	Depth	Height	Weight
4 uds.	21,6 kg	0,39 m³		
4 uds.	47,5 lb	13,6 ft³		

Configuration	Width	Depth	Height	Weight
57 - 22½"	83 32¼"	61 24"	40 15¾"	49 - 19¼"
53 - 20¾"				

cushion available pag. 185

UNE-EN 581-1/2/3

Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852

light exposure ISO 4892-2

SABINAS armchair.

Basic. Básico.

Lacquered. Lacado.

WHITE

BLACK

ECRU

RED

NAVY

LACQ. WHITE

LACQ. BLACK

LACQ. ANTH.

LACQ. RED

4 uds. 20,2 kg 0,47 m³
4 uds. 44,4 lb 16,6 ft³

stackable
S max

cushion
available
pag. 185

UNE-EN
581-1/2/3

BIFMA
ANSI/BIFMA
XS.4

Fire proof
UNE EN 1021
IMO A.652
UNI 9175
BS 5852

light exposure
ISO 4892-2

150

A red, modern, curved chair with four legs, labeled 150. The chair has a smooth, glossy finish and a unique, sculptural design. It is positioned on a white background.

VOXEL armchair.

Basic. Básico.

Lacquered. Lacado.

WHITE
 BLACK
 ECRU
 RED
 NAVY

LACQ. WHITE
 LACQ. BLACK
 LACQ. RED
 LACQ. ANTH.

4 uds. 27,2 kg 0,46 m³
 4 uds. 60 lb 16,3 ft³

63 -24 3/4"
 60 -23 1/4"
 80 31 1/2"
 44 17 1/4"
 65 25 1/2"
 42 16 1/2"
 46 -18"

stackable
 4 max.

cushion
 available
 pag.185

UNE-EN
 S81-1/2/3

BIFMA
 ANSI/BIFMA
 X5-4

Fire proof
 UNE-EN 1021
 IMO A.652
 UNI 9175
 BS 5852

light exposure
 ISO 4892-2



VOXEL mini chair.

Basic. Básico.

Lacquered. Lacado.

WHITE

BLACK

ECRU

RED

ALMOND

LACQ. WHITE

LACQ. BLACK

LACQ. RED

LACQ. ANTH.

4 uds. 13,6 kg 0,21 m³

4 uds. 30 lb 7,5 ft³

70
27½"

42 - 16½"

44 - 17¼"

38
15"

stackable
4 max.

UNE-EN
581-1/2/3

Fire proof
UNE EN 1021
IMO A.652
UNI 9775
BS 5852


light exposure
ISO 4892-2

151

☐ WHITE
☐ BLACK
☐ ECRU
☐ MOSTAZA
☐ BRONZE

 4 uds. 34 kg 0,44 m³


 4 uds. 75 lb 15,7 ft³



☐ WHITE
☐ BLACK
☐ ECRU
☐ MOSTAZA
☐ BRONZE

 4 uds. 26 kg 0,46 m³


4 uds. 57,3 lb 16,3 ft³



☐ WHITE
☐ BLACK
☐ ECRU
☐ MOSTAZA
☐ BRONZE

 4 uds. 47 kg 1,03 m³

4 uds. 103,6 lb 36,3 ft³




Lacquered. Lacado.

 WHITE
 BLACK
 ECRU
 RED
 BRONZE

 LACQ. WHITE
 LACQ. BLACK
 LACQ. RED
 LACQ. ANTH.

 2 uds. 20,5 kg 0,5 m³

 2 uds. 45,1 lb 17,6 ft³



Basic. Básico.

☐ WHITE
☐ BLACK
☐ ECRU
☐ BRONZE

 4 uds. 21,1 kg 0,34 m³

 4 uds. 46,4 lb 12,1 ft³



Basic. Básico.

☐ WHITE
☐ BLACK
☐ ECRU
☐ BRONZE

 4 uds. 34,4 kg 0,49 m³

 4 uds. 75,9 lb 17,3 ft³




Basic. Básico.

☐ WHITE
☒ BLACK
☐ ECRU
☐ BRONZE

 4 uds. 54,4 kg 0,93 m³

 4 uds. 119,9 lb 32,8 ft³




Basic. Básico.

☐ WHITE
☒ BLACK
☐ ECRU
☐ BRONZE

 4 uds. 130,2 kg 1,88 m³

 4 uds. 287 lb 66,6 ft³



AFRICA stool.

	H.76cm	WHITE BLACK ECRU RED BRONZE PICKLE NAVY	LACQ. WHITE LACQ. BLACK LACQ. RED LACQ. ANTH.	4 uds. 23,9 kg 0,4 m³ 4 uds. 52,6 lb 14 ft³	94,5 37¼" 31 12¼"	Basic. Básico. Lacquered. Lacado.
	H.66cm	WHITE BLACK ECRU RED BRONZE PICKLE NAVY	LACQ. WHITE LACQ. BLACK LACQ. RED LACQ. ANTH.	4 uds. 22,4 kg 0,36 m³ 4 uds. 49,3 lb 12,8 ft³	48 -19" 94,5 37¼" 21 8¼" 45 -17¾" 62 24½"	Basic. Básico. Lacquered. Lacado.
	stackable 7 max UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA XS.4 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2					

VOXEL stool.

	Basic. Básico.	WHITE BLACK ECRU RED NAVY	LACQ. WHITE LACQ. BLACK LACQ. RED LACQ. ANTH.	 4 uds. 24,6 kg 0,36 m³  4 uds. 54,2 lb 12,8 ft³	39 - 15¼" 87 34¼" 41 - 16¼" 72 28¼"
	Lacquered. Lacado. 				
	 stackable  Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852  light exposure ISO 4892-2				

IBIZA stool.

BLACK

ECRU

PICKLE

CALA (R)

MANTA (R)

4 uds. 27,5 kg 0,36 m³

4 uds. 60,6 lb 12,8 ft³

103
40"

31
12"

Basic. Básico.

WHITE

BLACK

ECRU

PICKLE

MILOS (R)

CALA (R)

MANTA (R)

4 uds. 27,3 kg 0,34 m³

4 uds. 60,2 lb 12,1 ft³

49-19"

93
36¾"

21
8"

47-18¾"

H.66cm

Basic. Básico.

stackable
7 max

UNE-EN
581-1/2/3

BIFMA
ANSI/BIFMA
XS.4

Fire proof
UNE EN 1021
IMO A.652
UNI 9175
BS 5852

light exposure
ISO 4892-2

6

FAZ stool.

	Basic. Básico.	BLACK ECRU LACQ. WHITE LACQ. BLACK LACQ. ANTH.	BLACK ECRU	4 uds. 27,2 kg 0,33 m³ 4 uds. 60 lb 11,6 ft³	111 43¾" 28 11"	 
	Lacquered. Lacado. 					
	H.66cm					
Basic. Básico.	WHITE BLACK ECRU LACQ. WHITE LACQ. BLACK LACQ. ANTH.	WHITE BLACK ECRU	4 uds. 24 kg 0,49 m³ 4 uds. 52,9 lb 17,3 ft³	48-19" 102 40¾" 19 7½"	51-20"  	
Lacquered. Lacado. 						
UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA XS.4  Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852  light exposure ISO 4892-2  corrosion ISO UNE EN 9227 UNE EN 1670 UNE 56 843						

FAZ arm-stool.

	H.75cm	WHITE BLACK ECRU LACQ. WHITE LACQ. BLACK LACQ. ANTH.	WHITE BLACK ECRU	4 uds. 30 kg 0,49 m³ 4 uds. 66,1 lb 17,2 ft³	57-22½" 111 43¾" 28 11" 51-20" 75 29½"	Basic. Básico. Lacquered. Lacado. 	
	H.66cm						
	Lacquered. Lacado. 						
	UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA XS.4  fireproof Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852  light exposure ISO 4892-2  corrosion ISO UNE EN 9227 UNE EN 1670 UNE 56 843						

WALL STREET stool.



Basic. Básico.

WHITE

BLACK

ECRU

RED

BRONZE

LACQ. BLACK

LACQ. RED

LACQ. ANTH.

2 uds. 12,9 kg 0,33 m³

2 uds. 28,5 lb 11,6 ft³

42-16½"

86
33¾"

31
12¼"

42-16½"

76
30"

Basic. Básico.

UNE-EN

581-1/2/3

BIFMA

ANSI/BIFMA
XS.4

 Fire proof
UNE EN 1021
IMO A.652
UNI 9175
BS 5852

 light exposure
ISO 4892-2

VASES bar stool.

	Basic. Básico.	WHITE BLACK ECRU RED BRONZE LACQ. WHITE LACQ. BLACK LACQ. RED LACQ. ANTH.		WHITE BLACK ECRU RED BRONZE	2 uds. 9,1 kg 0,29 m³ 2 uds. 20 lb 10,3 ft³	89 35" 30 11¾" 36 14¾" 34-13½"	2 uds. 9,1 kg 0,29 m³ 2 uds. 20 lb 10,3 ft³	89 35" 30 11¾" 36 14¾" 34-13½"	2 uds. 9,1 kg 0,29 m³ 2 uds. 20 lb 10,3 ft³	89 35" 30 11¾" 36 14¾" 34-13½"	2 uds. 9,1 kg 0,29 m³ 2 uds. 20 lb 10,3 ft³
	Lacquered. Lacado. 										
UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA XS.4  Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852  light exposure ISO 4892-2  corrosion ISO UNE EN 9227 UNE EN 1670 UNE 56 843											

FAZ WOOD stool.

Basic. Básico. 
Lacquered. Lacado. 



WHITE



BLACK



ECRU



LACQ. WHITE



LACQ. BLACK



LACQ. ANTH.



WHITE



BLACK



WOOD 1



WOOD 2

 4 uds. 30,5 kg 0,48 m³
 4 uds. 67,3 lb 17 ft³

53 - 20¾"



111
43¾"

52 - 20½"



28
11"

39
15¼"
72
28½"

Basic. Básico. 
Lacquered. Lacado. 



WHITE



BLACK



ECRU



LACQ. WHITE



LACQ. BLACK



LACQ. ANTH.



WHITE



BLACK



WOOD 1



WOOD 2

 4 uds. 25,2 kg 0,44 m³
 4 uds. 55,6 lb 15,6 ft³

50 - 19¾"



102
40¾"

51 - 20"



19
7½"

39
15¼"
63
24¾"

FAZ WOOD arm-stool.

H.75cm

Basic. Básico.

Lacquered. Lacado.

- WHITE
- BLACK
- ECRU
- LACQ. WHITE
- LACQ. BLACK
- LACQ. ANTH.

- WHITE
- BLACK

- WOOD 1
- WOOD 2

4 uds. 26 kg 0,54 m³

4 uds. 57,3 lb 19,1 ft³

H.66cm

Basic. Básico.

Lacquered. Lacado.

- WHITE
- BLACK
- ECRU
- LACQ. WHITE
- LACQ. BLACK
- LACQ. ANTH.

- WHITE
- BLACK

- WOOD 1
- WOOD 2

4 uds. 25,2 kg 0,44 m³

4 uds. 55,6 lb 15,6 ft³

	H.76cm	WHITE BLACK ECRU RED TORTORA PICKLE LACQ. WHITE LACQ. BLACK LACQ. RED LACQ. ANTH.	4 uds. 20,2 kg 0,35 m³ 4 uds. 44,5 lb 12,2 ft³	45 - 17¾" 76 30" 27 10¾"
	H.66cm	WHITE BLACK ECRU RED TORTORA PICKLE LACQ. WHITE LACQ. BLACK LACQ. RED LACQ. ANTH.	4 uds. 16,5 kg 0,31 m³ 4 uds. 36,4 lb 11 ft³	44 - 17¾" 66 26" 18 7"
	stackable 7 max UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA XS.4 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2			

VONDOM

SPRITZ stool.

H.75cm

Basic. Básico.

4 uds. 22 kg 0,35 m³

4 uds. 48,5 lb 12,2 ft³

Pack 2 Stools + Table.

Pack 2 taburetes + mesa.
(2x 56019 + 1x 56018)

H.66cm

Basic. Básico.

4 uds. 21,8 kg 0,32 m³

4 uds. 48,1 lb 11,1 ft³

Pack 2 Stools + Table.

Pack 2 taburetes + mesa.
(2x 56020 + 1x 56018)

stackable
9 max

cushion
available
pag. 185

UNE-EN

581-1/2/3

BIFMA

ANSI/BIFMA
XS.4






Fire proof
UNE-EN 1021
IMO A.652
UNI 9175
BS 5852

light exposure
ISO 4892-2



SUN LOUNGERS TUMBONAS

SPRITZ sun lounger.						
Basic. Básico. (Price/unit in 12 units package)		WHITE		4 uds. 74 kg 1,2 m³	195 - 76¾"	36 14¼"
		GREY		4 uds. 163,1 lb 42,3 ft³		
		ECRU				
		BRONZE				
Basic. Básico. (Price/unit in 4 units package)				4 uds. 106,6 kg 1,34 m³		67 26¼"
				4 uds. 235 lb 47,5 ft³		52 20½"
stackable	UNE-EN 581-1/2/3	BIFMA ANSI/BIFMA XS.4	Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852	light exposure ISO 4892-2		



FRAME ALUMINIUM dining table.

Table Top finishes - Acabado de tablero		
HPL Black edge HPL Borde negro	HPL Solid Core	DEKTON® Table top Sobre DEKTON®
	60x60x74 cm 23½"x23½"x29¼" HPL 12 kg 0,06 m³ - 26 lb 2,12 ft³	
	70x70x74 cm 27½"x27½"x29¼" HPL 14 kg 0,08 m³ - 31 lb 2,83 ft³	
	80x80x74 cm 31½"x31½"x29¼" HPL 17 kg 0,10 m³ - 37 lb 3,53 ft³	
	90x90x74 cm 35½"x35½"x29¼" HPL 20 kg 0,13 m³ - 43 lb 4,59 ft³	
	100x100x74 cm 39¼"x39¼"x29¼" HPL 23 kg 0,16 m³ - 50 lb 5,65 ft³	
	120x120x74 cm 47¼"x47¼"x29¼" HPL 30 kg 0,23 m³ - 67 lb 8,12 ft³	







FRAME ALUMINIUM high table.

	140x60x105 cm 55"x23½"x41¼" HPL 22 kg 0,14 m³ - 48 lb 4,95 ft³	
	200x60x105 cm 78¾"x23½"x41¼" HPL 29 kg 0,20 m³ - 62 lb 7,06 ft³	

FRAME ALUMINIUM coffee table.

	100x100x32 cm 39¼"x39¼"x12½" HPL 21 kg 0,17 m³ - 45 lb 6 ft³	
	160x100x32 cm 63"x39¼"x12½" HPL 31 kg 0,26 m³ - 68 lb 9,18 ft³	

FRAME ALUMINIUM lounge table.

Table Top finishes - Acabado de tablero		
HPL Black edge HPL Borde negro	HPL Solid Core	DEKTON® Table top Sobre DEKTON®
	160x80x74 cm 63"x31½"x29¼" HPL 28 kg 0,21 m³ - 62 lb 7 ft³	
	160x90x74 cm 63"x35½"x29¼" HPL 30 kg 0,23 m³ - 66 lb 8,12 ft³	
	160x100x74 cm 63"x39¼"x29¼" HPL 33 kg 0,26 m³ - 71 lb 9,18 ft³	
	180x80x74 cm 70¾"x31½"x29¼" HPL 31 kg 0,23 m³ - 67 lb 8,12 ft³	
	200x90x74 cm 78¾"x35½"x29¼" HPL 36 kg 0,3 m³ - 80 lb 10,6 ft³	
	200x100x74 cm 78¾"x39¼"x29¼" HPL 40 kg 0,33 m³ - 86 lb 11,7 ft³	
	250x100x74 cm 98½"x39¼"x29¼" HPL 0,4 m³ - 12,2 ft³	
	300x120x74 cm 118"x47¼"x29¼" HPL 69 kg 0,6 m³ - 150 lb 21,2 ft³	

WOOD 1

WOOD 2

WHITE

BLACK

ECRU

Leg's colors - Color de estructura

HPL Black edge
HPL Borde negro

HPL Solid Core

DEKTON® Table top
Sobre DEKTON®

Table Top finishes - Acabado de tablero

FAZ WOOD dining table.

60x60x74 cm

23½"x23½"x29¼"

4u. HPL 44kg 0,67m³ - 97lb 23,7ft³

70x70x74 cm

27½"x27½"x29¼"

4u. HPL 52kg 0,68m³ - 114lb 24ft³

80x80x74 cm

31½"x31½"x29¼"

4u. HPL 60kg 0,69m³ - 133lb 24,5ft³

FAZ WOOD high table.

60cm - 23½"

74
29¼"

70cm - 27½"

74
29¼"

80cm - 31½"

74
29¼"

WOOD 1

WOOD 2

WHITE

BLACK

ECRU

Leg's colors - Color de estructura

HPL Black edge
HPL Borde negro

HPL Solid Core

DEKTON® Table top
Sobre DEKTON®

Table Top finishes - Acabado de tablero

FAZ WOOD lounge table.

90x90x74 cm

35½"x35½"x29¼"

1u. HPL 27kg 0,18m³ - 60lb 6,5ft³

100x100x74 cm

39¼"x39¼"x29¼"

1u. HPL 31kg 0,22m³ - 68lb 7,8ft³

Ø120x74 cm

Ø47¼"x29¼"

1u. HPL 35kg 0,31m³ - 77lb 10,9ft³

Ø140x74 cm

Ø55"x29¼"

1u. HPL 41kg 0,41m³ - 89lb 14,5ft³

200x90x74 cm

78¾"x35½"x29¼"

1u. HPL 47kg 0,38m³ - 103lb 13,4ft³

200x100x74 cm

78¾"x39¼"x29¼"

1u. HPL 50kg 0,41m³ - 110lb 14,6ft³

FAZ WOOD dining table.

50cm - 19¼"

105
41¼"

60cm - 23½"

105
41¼"

Ø50cm - Ø19¼"

105
41¼"

Ø60cm - Ø23½"

105
41¼"

FAZ WOOD lounge table.

90cm - 35½"

74
29¼"

100cm - 39¼"

74
29¼"

Ø120cm - 19¼"

74
29¼"

Ø140cm - 19¼"

74
29¼"

200x90cm - 19¼"



74
29¼"




200x100cm - 19¼"





74
29¼"

166

167

	Fijo Fixed	Abatible Collapsible top	Fijo para vidrio Fixed for glass	Tableros disponibles Available table tops	
FAZ Low Table 3P	 Ø65x50 cm Ø25½"x19¾" 4 ud - 15,6 kg 0,14 m³ - 13,2 lb 4,94 ft³			Ø50 cm Ø19¼" 50 x 50 cm 19¼" x 19¼" Ø59 cm Ø23¼" 59 x 59 cm 23¼" x 23¼" Ø69 cm Ø27¼" 	
FAZ Low Table 4P	 Ø80x50 cm - Ø31½"x19¾" 4 ud - 23 kg 0,24m³ - 15,65 lb 8,47 ft³	-		Ø79 cm Ø31" 69 x 69 cm 27¼" x 27¼" Ø89 cm Ø37" 79 x 79 cm 31" x 31" Ø100 cm Ø39¼" 89 x 89 cm 37" x 37" 	
FAZ Low Table 4P+	 Ø96,5x50 cm Ø37¾"x19¾" 4 ud - 29,6 kg 0,34 m³ - 65,30 lb 12 ft³	-		Ø100 cm Ø39¼" 100 x 100 cm 39¼" x 39¼" Ø120 cm Ø47¼" 	

FAZ Dining Table 3P	 Ø65x73 cm Ø25½"x28¾" 4 ud - 15,6 kg 0,14 m³ - 14,33 lb 4,94 ft³			Ø50 cm Ø19¼" 50 x 50 cm 19¼" x 19¼" Ø59 cm Ø23¼" 59 x 59 cm 23¼" x 23¼" Ø69 cm Ø27¼" 	
FAZ Dining Table 4P	 Ø80x73 cm Ø31½"x28¾" 4 ud - 24,2 kg 0,24 m³ - 14,42 lb 8,5 ft³	-		Ø79 cm Ø31" 69 x 69 cm 27¼" x 27¼" Ø89 cm Ø37" 79 x 79 cm 31" x 31" Ø100 cm Ø39¼" 89 x 89 cm 37" x 37" 	
FAZ Dining Table 4P+	 Ø96,5x73 cm Ø37¾"x28¾" 4 ud - 30,8 kg 0,34 m³ - 67,88 lb 12 ft³	-		Ø100 cm Ø39¼" 100 x 100 cm 39¼" x 39¼" Ø120 cm Ø47¼" 	

	Fijo Fixed	Abatible Collapsible top	Fijo para vidrio Fixed for glass	Tableros disponibles Available table tops	
FAZ Dining Table Double 3P	 112x58 cm 44½"x22¾" 1 ud - 8,8 kg 0,10 m³ - 19,58 lb 3,52 ft³		-	119 x 69 cm 46¾" x 27¼" 	
FAZ Dining Table Double 4P	 138x59 cm 54¼"x23¼" 1 ud - 13 kg - 0,12 m³ - 28,72 lb 4,23 ft³	-	-	158 x 79 cm 62¼" x 31" 	
FAZ High Table 3P	 Ø65x105 cm Ø25½"x41¼" 4 ud - 15,7 kg 0,14 m³ - 15,43 lb 4,9 ft³			Ø50 cm Ø19¼" 50 x 50 cm 19¼" x 19¼" Ø59 cm Ø23¼" 59 x 59 cm 23¼" x 23¼" 	
FAZ High Table 4P	 Ø80x105 cm Ø31½"x41¼" 4 ud - 26,1 kg 0,31 m³ - 17,47 lb 10,9 ft³	-		69 x 69 cm 27¼" x 27¼" 	

FAZ Table Tops		tipo de canto - edge's type					
		10mm 0,39"		12mm 0,47"		10mm 0,39"	
		HPL Borde negro HPL Black edge		HPL Solid Core		Vidrio templado Tempered Glass	
				HPL Borde negro HPL Black edge		Sobre DEKTON®* DEKTON® Table Top*	
●	Ø50 cm - Ø19¼"	2 ud - 5,6 kg 0,02 m³ - 12,3 lb 0,58 ft³					
●	Ø59 cm - Ø23½"	2 ud - 7,8 kg 0,02 m³ - 17,2 lb 0,58 ft³					
●	Ø69 cm - Ø27¼"	2 ud - 10,6 kg - 0,22 m³ - 23,3 lb 0,77 ft³					
●	Ø79 cm - Ø31"	2 ud - 13,8 kg 0,03 m³ - 23,3 lb 1 ft³					
●	Ø89 cm - Ø35"	2 ud - 17,6 kg - 0,04 m³ -38,8 lb 1,25 ft³					
●	Ø100 cm - Ø39¼"	2 ud - 22,2 kg - 0,04 m³ -48,9 lb 1,5 ft³					
●	Ø120 cm - Ø47¼"	2 ud - 37,4 kg 0,07 m³ - 82,4 lb 1,9 ft³					
■	50x50 cm - 19¼"x19¼"	2 ud - 7 kg 0,02 m³ - 15,4 lb 0,58 ft³					
■	59x59 cm - 23¼"x23¼"	2 ud - 9,8 kg 0,02 m³ - 21,6 lb 0,58 ft³					
■	69x69 cm - 27¼"x27¼"	2 ud -13,4 kg -0,02 m³ -61,59 lb 0,77 ft³					
■	79x79 cm - 31"x31"	2 ud - 17,6 kg - 0,03 m³ - 77,6 lb 1 ft					
■	89x89 cm - 35"x35"	2 ud - 22,4 kg - 0,03 m³ -98,7 lb 1,25 ft³					
■	100x100 cm - 39¼" x 39¼"	2 ud - 28,2 kg 0,04 m³ - 62,1 lb 1,5 ft³					
■	119x69 cm - 46¾"x27¼"	2 ud - 11,5 kg 0,02 m³ - 25,5 lb 0,35 ft³					
■	158x79cm - 62¼" x 31"	2 ud - 17,6 kg 0,02 m³ - 38,7 lb 0,35 ft³					

HPL SOLID CORE FINISHES

White Solid Core (10 & 12mm)	Castoro Fiber 7006 Solid Core (10mm)	Traffic Gray 7008 Solid Core (10mm)	Modo Green 7003 Solid Core (10mm)	Notte Blue 7001 Solid Core (10mm)
Crema 7007 Solid Core (10mm)	Piombo Gray 7005 Solid Core (10mm)	British Gray 7009 Solid Core (10mm)	Cacao 7004 Solid Core (10mm)	Purjai Red 7002 Solid Core (10mm)
Marmo Gioia 7101 Solid Core (10mm)	Yule Brown 7105 Solid Core (10mm)	Pulpis Gray 7104 Solid Core (10mm)	Yule Gray 7102 Solid Core (10mm)	Kandia Black 7103 Solid Core (10mm)
Oak 1 7301 Solid Core (10mm)	Oak 2 7302 Solid Core (10mm)			

HPL BLACK-EDGE FINISHES

Black Black-edge (10 & 12mm)	White Black-edge (10 & 12mm)	Ecru Black-edge (10 & 12mm)

DEKTON CERAMIC SURFACES

Entzo Dekton (12mm)	Danae Dekton (12mm)	Kelya Dekton (12mm)

GLASS SURFACES

Glass (10mm)


HPL EDGES



A 10mm HPL









B 10mm HPL






C 10mm HPL

*Dekton's table tops are not available for collapsable table bases.
*Los tableros Dekton no están disponibles para piés de mesa abatibles.

	Fijo Fixed	Abatible Collapsible top	Fijo para vidrio Fixed for glass	Tableros disponibles Available table tops		
MARI-SOL Low Table 3P 	 Ø62x50 cm - Ø24½"x19¾" 4 ud - 17,1 kg 0,22 m³ - 37,75 lb 7,84 ft³			Ø50 cm Ø19¼" 50 x 50 cm 19¼" x 19¼" Ø59 cm Ø23¼" 59 x 59 cm 23¼" x 23¼" Ø69 cm Ø27¼" 		
MARI-SOL Low Table 4P 	 Ø80x50 cm - Ø31½"x19¾" 4 ud - 22,4 kg 0,23 m³ - 49,52 lb 8,34 ft³	-		Ø79 cm Ø31" 69 x 69 cm 27¼" x 27¼" Ø89 cm Ø37" 79 x 79 cm 31" x 31" Ø100 cm Ø39¼" 89 x 89 cm 37" x 37" 		
MARI-SOL Low Table 4P+	 Ø96,5x50 cm - Ø37¾"x19¾" 4 ud - 29,6 kg 0,57 m³ - 65,30 lb 20,31 ft³	-		Ø100 cm Ø39¼" 100 x 100 cm 39¼" x 39¼" Ø120 cm Ø47¼" 		

MARI-SOL Dining Table 3P 	 Ø62x73 cm - Ø24½"x28¾" 4 ud - 18,7 kg 0,22 m³ - 41,34 lb 7,84 ft³		Ø50 cm Ø19¼" 50 x 50 cm 19¼" x 19¼" Ø59 cm Ø23¼" 59 x 59 cm 23¼" x 23¼" Ø69 cm Ø27¼" 		
MARI-SOL Dining Table 4P	 Ø80x73 cm - Ø31½"x28¾" 4 ud - 24,2 kg 0,23 m³ - 53,46 lb 8,34 ft³	-	Ø79 cm Ø31" 69 x 69 cm 27¼" x 27¼" Ø89 cm Ø37" 79 x 79 cm 31" x 31" Ø100 cm Ø39¼" 89 x 89 cm 37" x 37" 		
MARI-SOL Dining Table 4P+	 Ø96,5x73 cm - Ø37¾"x28¾" 4 ud - 30,8 kg 0,57 m³ - 67,88 lb 20,31 ft³	-	Ø100 cm Ø39¼" 100 x 100 cm 39¼" x 39¼" Ø120 cm Ø47¼" 		

	Fijo Fixed	Abatible Collapsible top	Fijo para vidrio Fixed for glass	Tableros disponibles Available table tops		
MARI-SOL Dining Table double 3P 	 112x58 cm - 44½"x22¾" 1 ud - 9,6 kg 0,11 m³ - 21,18 lb 4,14 ft³		-	119 x 69 cm 46¾" x 27¼" 		
MARI-SOL Dining Table double 4P	 138x59 cm - 54¼"x23¼" 1 ud - 13 kg 0,17 m³ - 28,54 lb 6,16 ft³	-	-	158 x 79 cm 62¼" x 31" 		
MARI-SOL High Table 3P 	 Ø62x105 cm - Ø24½"x41¼" 4 ud - 21,6 kg 0,22 m³ - 47,62 lb 7,84 ft³			Ø50 cm Ø19¼" 50 x 50 cm 19¼" x 19¼" Ø59 cm Ø23¼" 59 x 59 cm 23¼" x 23¼" 		
MARI-SOL High Table 4P	 Ø80x105 cm - Ø31½"x41¼" 4 ud - 26,9 kg 0,23 m³ - 59,38 lb 8,34 ft³	-		69 x 69 cm 27¼" x 27¼" 		

MARI-SOL Table Tops		tipo de canto - edge's type					
		HPL Borde negro HPL Black edge	HPL Solid Core	HPL Borde negro HPL Black edge	HPL Solid Core	Vidrio templado Tempered Glass	Sobre DEKTON®* DEKTON® Table Top*
		10mm 0,39"		12mm 0,47"		10mm 0,39"	12mm 0,47"
		A	B	C			
	Ø50 cm - Ø19¼"	2 ud - 5,6 kg 0,02 m³ - 12,3 lb 0,58 ft³					
	Ø59 cm - Ø23½"	2 ud - 7,8 kg 0,02 m³ - 17,2 lb 0,58 ft³					
	Ø69 cm - Ø27¼"	2 ud - 10,6 kg - 0,22 m³ - 23,3 lb 0,77 ft³					
	Ø79 cm - Ø31"	2 ud - 13,8 kg 0,03 m³ - 23,3 lb 1 ft³					
	Ø89 cm - Ø35"	2 ud - 17,6 kg - 0,04 m³ -38,8 lb 1,25 ft³					
	Ø100 cm - Ø39¼"	2 ud - 22,2 kg - 0,04 m³ -48,9 lb 1,5 ft³					
	Ø120 cm - Ø47¼"	2 ud - 37,4 kg 0,07 m³ - 82,4 lb 1,9 ft³					
	50x50 cm - 19¼"x19¼"	2 ud - 7 kg 0,02 m³ - 15,4 lb 0,58 ft³					
	59x59 cm - 23¼"x23¼"	2 ud - 9,8 kg 0,02 m³ - 21,6 lb 0,58 ft³					
	69x69 cm - 27¼"x27¼"	2 ud -13,4 kg -0,02 m³ -61,59 lb 0,77 ft³					
	79x79 cm - 31"x31"	2 ud - 17,6 kg - 0,03 m³ - 77,6 lb 1 ft					
	89x89 cm - 35"x35"	2 ud - 22,4 kg - 0,03 m³ -98,7 lb 1,25 ft³					
	100x100 cm - 39¼" x 39¼"	2 ud - 28,2 kg 0,04 m³ - 62,1 lb 1,5 ft³					
	119x69 cm - 46¾"x27¼"	2 ud - 11,5 kg 0,02 m³ - 25,5 lb 0,35 ft³					
	158x79cm - 62¼" x 31"	2 ud - 17,6 kg 0,02 m³ - 38,7 lb 0,35 ft³					

HPL SOLID CORE FINISHES



White Solid Core (10 & 12mm)
Castoro Fiber 7006 Solid Core (10mm)
Traffic Gray 7008 Solid Core (10mm)
Modo Green 7003 Solid Core (10mm)
Notte Blue 7001 Solid Core (10mm)



Crema 7007 Solid Core (10mm)
Piombo Gray 7005 Solid Core (10mm)
British Gray 7009 Solid Core (10mm)
Cacao 7004 Solid Core (10mm)
Purjai Red 7002 Solid Core (10mm)



Marmo Gioia 7101 Solid Core (10mm)
Yule Brown 7105 Solid Core (10mm)
Pulpis Gray 7104 Solid Core (10mm)
Yule Gray 7102 Solid Core (10mm)
Kandia Black 7103 Solid Core (10mm)



Oak 1 7301 Solid Core (10mm)
Oak 2 7302 Solid Core (10mm)

HPL BLACK-EDGE FINISHES



Black Black-edge (10 & 12mm)
White Black-edge (10 & 12mm)
Ecru Black-edge (10 & 12mm)

DEKTON CERAMIC SURFACES



Entzo Dekton (12mm)
Danae Dekton (12mm)
Kelya Dekton (12mm)

GLASS SURFACES



Glass (10mm)


HPL EDGES



A 10mm HPL




B 10mm HPL



C 10mm HPL

*Dekton's table tops are not available for collapsable table bases.
*Los tableros Dekton no están disponibles para piés de mesa abatibles.


FIESTA 120cm counter with working area.



1 ud - 52 kg 1,23 m³ - 114,6 lb 43,3 ft³

- Optional.
- 2 HPL Shelves Set
Set de 2 estantes HPL
 - HPL Solid Core - Counter Top
Cubre Barra HPL Solid Core
 - HPL Black Edge - Counter Top
Cubre Barra HPL Borde Negro
 - 8 Caster Set
Set 8 ruedas ø40 mm
 - Bluetooth Sound System Pack 200W


FIESTA 180cm counter.



1 ud - 65,5 kg 1,48 m³ - 144,3 lb 52,2 ft³

- Optional.
- 2 HPL Shelves Set
Set de 2 estantes HPL
 - HPL Solid Core - Counter Top
Cubre Barra HPL Solid Core
 - HPL Black Edge - Counter Top
Cubre Barra HPL Borde Negro
 - 8 Caster Set
Set 8 ruedas ø40 mm
 - Bluetooth Sound System Pack 200W


FIESTA curved counter.



1 ud - 75,9 kg 2,94 m³ - 167,4 lb 104 ft³


- Optional.
- 2 HPL Shelves Set
Set de 2 estantes HPL
 - HPL Solid Core - Counter Top
Cubre Barra HPL Solid Core
 - HPL Black Edge - Counter Top
Cubre Barra HPL Borde Negro
 - 8 Caster Set
Set 8 ruedas ø40 mm
 - Bluetooth Sound System Pack 200W

SETTING EXAMPLES - EJEMPLOS DE CONFIGURACIÓN



Ø320 - Ø126"


4 x 56002 Barra curva - Curved counter



500 - 196 3/4"

320 126"


2 x 56001 180 Barra - 180 Counter
4 x 56002 Barra curva - Curved counter



440 - 173 1/4"

320 126"


2 x 56023 120 Barra - 120 Counter
4 x 56002 Barra curva - Curved counter



440 - 173 1/4"

440 173 1/4"

4 x 56023 120 Barra - 120 Counter
4 x 56002 Barra curva - Curved counter




500 - 196 3/4"

500 196 3/4"

4 x 56001 180 Barra - 180 Counter
4 x 56002 Barra curva - Curved counter


		LED	LED RGBW		LED RGBW DMX*	
Básico / Basic	Lacado / Lacquered	Blanco / White	Cable / Cable	Bateria / Battery	Cable / Cable	Bateria / Battery

FAZ center counter




- Optional.
- 2 HPL Shelves Set
Set de 2 estantes HPL
 - HPL Solid Core - Counter Top
Cubre Barra HPL Solid Core
 - HPL Black Edge - Counter Top
Cubre Barra HPL Borde Negro
 - 8 Caster Set
Set 8 ruedas ø40 mm
 - Bluetooth Sound System Pack 200W

FAZ side counter




- Optional.
- 2 HPL Shelves Set
Set de 2 estantes HPL
 - HPL Solid Core - Counter Top
Cubre Barra HPL Solid Core
 - HPL Black Edge - Counter Top
Cubre Barra HPL Borde Negro
 - 8 Caster Set
Set 8 ruedas ø40 mm
 - Bluetooth Sound System Pack 200W

FAZ corner counter




- Optional.
- 2 HPL Shelves Set
Set de 2 estantes HPL
 - HPL Solid Core - Counter Top
Cubre Barra HPL Solid Core
 - HPL Black Edge - Counter Top
Cubre Barra HPL Borde Negro
 - 8 Caster Set
Set 8 ruedas ø40 mm
 - Bluetooth Sound System Pack 200W

FAZ center counter with ice bucket




- Optional.
- 2 HPL Shelves Set
Set de 2 estantes HPL
 - HPL Solid Core - Counter Top
Cubre Barra HPL Solid Core
 - HPL Black Edge - Counter Top
Cubre Barra HPL Borde Negro
 - 8 Caster Set
Set 8 ruedas ø40 mm
 - Bluetooth Sound System Pack 200W


SETTING EXAMPLES - EJEMPLOS DE CONFIGURACIÓN



- 1 x 54113 Barra Central Counter Bar
- 1 x 54114 Barra Central Cubitera Counter Ice Bucket
- 1 x 54112 Barra Esquina Corner Bar
- 1 x 54111 Barra Lateral Single Bar




- 2 x 54113 Barra Central Counter Bar
- 1 x 54114 Barra Central Cubitera Counter Ice Bucket
- 3 x 54112 Barra Esquina Corner Bar
- 1 x 54111 Barra Lateral Single Bar



- 4 x 54113 Barra Central Counter Bar
- 2 x 54114 Barra Central Cubitera Counter Ice Bucket
- 4 x 54112 Barra Esquina Corner Bar

Básico / Basic	 Lacado / Lacquered	LED Blanco / White	LED RGBW		LED RGBW DMX*	
			Cable / Cable	Bateria / Battery	Cable / Cable	Bateria / Battery

VELA double counter.




1 ud. 72,6 kg 1,44 m³ - 160,1 lb 50,8 ft³

- Optional.
- 2 HPL Shelves Set
Set de 2 estantes HPL
 - HPL Solid Core - Counter Top
Cubre Barra HPL Solid Core
 - HPL Black Edge - Counter Top
Cubre Barra HPL Borde Negro
 - 8 Caster Set
Set 8 ruedas ø40 mm
 - Bluetooth Sound System Pack 200W

Básico / Basic	 Lacado / Lacquered	LED Blanco / White	LED RGBW		LED RGBW DMX*	
			Cable / Cable	Bateria / Battery	Cable / Cable	Bateria / Battery


VELA catering counter.



1 ud. 72,1 kg 1,63 m³ - 159 lb 57,4 ft³

- Optional.
- 2 HPL Shelves Set
Set de 2 estantes HPL
 - HPL Solid Core - Counter Top
Cubre Barra HPL Solid Core
 - HPL Black Edge - Counter Top
Cubre Barra HPL Borde Negro
 - 8 Caster Set
Set 8 ruedas ø40 mm
 - Bluetooth Sound System Pack 200W


VELA single counter



1 ud. 40,6 kg 0,73 m³ - 89,6 lb 25,9 ft³

- Optional.
- 2 HPL Shelves Set
Set de 2 estantes HPL
 - HPL Solid Core - Counter Top
Cubre Barra HPL Solid Core
 - HPL Black Edge - Counter Top
Cubre Barra HPL Borde Negro
 - 8 Caster Set
Set 8 ruedas ø40 mm
 - Bluetooth Sound System Pack 200W

VELA catering counter with ice bucket.




1 ud. 0,1 kg 1,63 m³ - 0,2 lb 57,4 ft³

- Optional.
- 2 HPL Shelves Set
Set de 2 estantes HPL
 - HPL Solid Core - Counter Top
Cubre Barra HPL Solid Core
 - HPL Black Edge - Counter Top
Cubre Barra HPL Borde Negro
 - 8 Caster Set
Set 8 ruedas ø40 mm
 - Bluetooth Sound System Pack 200W

VELA counter's door with hinge.



1 ud. 20,9 kg 0,5 m³ - 46,1 lb 17,6 ft³



LED White Bateria / Battery	LED RGBW Bateria / Battery	LED RGBW DMX Bateria / Battery	WHITE FUNE	AMIBAR
				

MARQUIS table lamp.



- Europe plug
- USA plug



22,5
8 ¾"



9 - 3 ½"

GATSBY CYLINDER. Table lamp.



- Europe plug
- USA plug



24,6
9 ¾"




Ø8,5 - 3 ¼"

GATSBY PRISMA. Table lamp.




- Europe plug
- USA plug



24,6
9 ¾"



8 - 3 ¼"



The Table Lamps are preset with a DMX adress.
(Channels 13 / 14 / 15 / 16)
If you want to create zones and control them separately you must
communicate this before confirming the order.
DMX Transmitter Required (not included).

Las lámparas de mesa vienen con una dirección DMX asignada.
(Canales 13 / 14 / 15 / 16)
Para crear zonas y controlarlas independientemente, es necesario
asignar otras direcciones DMX a las lámparas de mesa. Debe
indicarse en la confirmación del pedido.
Controlador DMX Necesario (no incluido).

Group 1 A
(Dralon)

Group 1 B
(Nautic)

Group 1 C
(Silvertex, Crevin, Savane, Heritage)

AFRICA CHAIR
65036

AFRICA ARMCHAIR
65005

BROOKLYN CHAIRS
65037, 65038

DELTA CHAIR
66026

FAZ CHAIRS
(WOOD, CLEAR, INOX.)
54294, 54063, 54045, 54295,
54062, 54044

IBIZA CHAIR
65040

IBIZA ARMCHAIR
65041

IBIZA CHAIR WITH ARMS
65044

IBIZA LOUNGE CHAIR
65039

KES CHAIRS
64018, 64017

KIMONO CHAIR
54299

LA PEDRERA
65004

LOVE CHAIR
65042

QUARTZ CHAIRS
54194, 54195

SABINAS ARMCHAIR
45012

SOLID CHAIR
55024

SOLID ARMCHAIR
55027

SOLID LOUNGE CHAIR
55023

SOLID SOFA
55022

SPRITZ ARMCHAIR
56017

SPRITZ CHAIR &
CHAIR WITH ARMS
56016, 56015

SPRITZ LOUNGE CHAIR
56024

SPRITZ SOFA
56025

SPRITZ STOOL
56019, 56020

SPRITZ SUN LOUNGER
56027

VASES ARMCHAIR
47070

VOXEL CHAIR
51033

VOXEL ARMCHAIR
51031

WALLSTREET ARMCHAIR
65006

Group 1 A
(Dralon)

Group 1 B
(Nautic)

Group 1 C
(Silvertex, Crevin, Savane, Heritage)



COLORS, FABRICS & FINISHES

PRODUCT COLORS	__ 188
TABLE TOPS	__ 192
OUTDOOR UPSHOLSTERY	__ 194
PRODUCTS AND FINISHES	__ 204
TECHNICAL INFORMATION	__ 216

Basic. Básico.

Lacquered. Lacado.



White 2001



Steel 2005



Anthracite 2006



Black 2002



Ecru 2003



Crema 2017



Taupé 2004



Bronze 2008



Ice 2101



Beige 2007



Modo Green 2016



Khaki 2009



Notte Blue 2018



Purjai Red 2015



Red 2014



Orange 2019



White 3101



Steel 3105



Anthracite 3106



Black 3102



Ecru 3103



Taupé 3104



Modo Green 3116



Khaki 3109



Crema 3117



Beige 3107



Champagne 3115



Bronze 3108



Notte Blue 3118



Purjai Red 3113



Red 3114



Orange 3111

Basic injection.
Básico inyección.



White 4001



Ecru4003



Tortora 4004



Gray 4005



Navy 4013



Almond 4017



Pickle 4018



Melon 4015



Red 4014



Mostaza 4016



Bronze 4008



Black 4002



Crema 4021



Modo Green 4020



Purjai Red 4019



Notte Blue 4022

Clear PC.
PC translúcido.




Cristal 4101



Fume 4103



Zaphire 4106



Amber 4102



Opaque White PC 4105



Opaque Black PC 4104

Powder Coated Aluminium.
Aluminio lacado al horno.



White 5001



British Gray 5038



Traffic Gray 5037



Black 5002



Ecru 5003



Crema 5036



Castoro Fiber 5035



Cacao 5033



Notte Blue 5030



Modo Green



Pickle 5020



Almond 5019



Red 5014



Purjai Red 5031



Melon 5018



Mostaza 5016


Ash Wood.
Madera de fresno.



Wood 1 9001



Wood 2 9002



Natural Teak 9003



Weathered Teak 9004

Teak Wood.
Madera de Teca

TABLE
TOPS

HPL Solid Core.
HPL Solid Core



White 7000
Solid Core
(10 & 12mm)




Castoro Fiber 7006
Solid Core
(10mm)



Traffic Gray 7008
Solid Core
(10mm)



Modo Green 7003
Solid Core
(10mm)



Notte Blue 7001
Solid Core
(10mm)



Crema 7007
Solid Core
(10mm)



Piombo Gray 7005
Solid Core
(10mm)



British Gray 7009
Solid Core
(10mm)



Cacao 7004
Solid Core
(10mm)



Purjai Red 7002
Solid Core
(10mm)




Marmo Canova 7101
Solid Core
(10mm)



Yule Brown 7105
Solid Core
(10mm)




Pulpis Gray 7104
Solid Core
(10mm)




Yule Gray 7102
Solid Core
(10mm)



Kandia Black 7103
Solid Core
(10mm)



Oak 1 7301
Solid Core
(10mm)



Oak 2 7302
Solid Core
(10mm)

HPL Black Edge.
HPL borde negro.



Black 7203
Black-edge
(10 & 12mm)



White 7201
Black-edge
(10 & 12mm)



Ecru 7202
Black-edge
(10 & 12mm)

Glass.
Vidrio.



Glass 8000
(10mm)



White Opaque Glass 8001
(Only available for coffee tables)



Black Opaque Glass 8002
(Only available for coffee tables)



Bronze Smoked Glass 8003
(Only available for coffee tables)

DECKTON®
Ceramic Surfaces.



Entzo 6003
Dekton
(12mm)



Danae 6002
Dekton
(12mm)



Kelya 6001
Dekton
(12mm)

NAUTICAL 1A




White 1100



Steel 1101



Taupe 1102




Black 1105




Natural 1111



Crema 1103




Bronze 1104



Purjai Red 1106



Notte Blue 1114



Forest 1112



Orange 1113



Red 1108

SILVERTEX 1B




White 1219



Steel 1208



Taupe 1209



Anthracite 1210




Natural 1220




Beige 1211




Ecu 1221



Bronze 1214




Kaki 1218



Forest 1224



Notte Blue 1222



Purjai Red 1223

HERITAGE 1B



Papyrus 1530




Granite 1531

SAVANE 1B



White 1501




Whisper 1502



Tornado 1503

CREVIN 1B



White 1308



Steel 1309



Taupe 1310



Anthracite 1311




Blue 1301



Deep Blue 1302



Lemongrass 1303



Melon 1304

CICO 1C



Limestone 1701



Gravel 1702



Greywacke 1704



Onix 1705

SIESTA 1C



Siesta 1810



Siesta 1811




Siesta 1812



Siesta 1813

ACAPULCO 1C



Acapulco 1801



Acapulco 1802



Acapulco 1803



Acapulco 1804




Acapulco 1806




Acapulco 1805

IKON 1C



Ikon 1830



Ikon 1831




Ikon 1832



Ikon 1833




Ikon 1834




Ikon 1835


VELUM



White 1540




Steel 1541



Steel 1902



Ecru / Taupe 1904




Bronze 1905




Black 1903


ROOF FABRIC



White 1910



Steel 1911



Ecru 1912



Bronze 1913

ROOF ROPE



Snnow 1201



Ecru 1202



Gray 1203



Taupe 1204


KROLLET 2A



Krollet 1921



Krollet 1922



Krollet 1923



Krollet 1924



Krollet 1925



Krollet 1926

HYGGUE 2B



Hygge 1080



Hygge 1081



Hygge 1082



Hygge 1083

VARM 2B



Varm 1060




Varm 1061



Varm 1062




Varm 1063



Varm 1064



Varm 1065



Varm 1066



Varm 1067



Varm 1068



Varm 1069




Varm 1070




Varm 1071



Berry 1021



Masai 1018



Sunset 1020



Noa 1026



Pruna 1045




Vera 1019



Afrodita 1013



Grana 1046



Dahlia 1035




Bacco 1034




Amatista 1011




Galan 1025



Perla 1006



Eclipse 1023




Calipso 1017



Wine 1012



Foc 1052



Hestia 1014




Chocolate 1050



Moka 1010



Night 1024



Ultramar 1002



Niord 1015



Aquamarina 1003



Esmeralda 1016




Ecrú 1047



Desert 1033



Taupé 1048



Terra 1039




Duna 1009




Bosc 1029




Artemisa 1027



Oceano 1005



Caribe 1004




Turquoise 1053



Oasis 1007



Moon 1040




Granito 1008




Grey 1043



Anthracite 1044




Aguacate 1028



Lima 1030




Delhi 1038




Oro 1031




Ocre 1051



Snow 1041



Iceberg 1037



Steel 1042

* Agatha Collection disponible en Bicolor Lacado blanco-rojo y blanco-naranja. Agatha Collection available in Two Tone Lacquered white-red and white-orange.

TECHNICAL INFORMATION



Finishes & Extras Furniture

All our products are suitable for indoor and outdoor use.

BASIC

Matte finish.

LACQUERED

High gloss lacquered.

TWO-TONE LACQUERED

High gloss lacquered finish in two different colors. To avoid possible damage we do not recommend stacking the product.

EXTRAS / OPTIONS

WHITE LED

White internally lit unit with LED technology. Available only in matte ice white finish.

RGBW LED

Unit with internal lighting with RGBW LED technology and remote control unit for switching colors. Available only in matte ice white finish. Remote control included.

RGBW LED DMX

Unit with internal lighting with RGBW LED technology and remote control unit for switching colors. Also controlled by DMX-1024 (wireless), enabling communication between one or more products simultane-ously via the DMX transmitter (not included). There are two options to choose from: Professional XLR DMX and Home WIFI DMX.

Both options are available in various configurations:

1* DMX Wireless Standard Configuration.

2* DMX Wireless Customized Configuration.

WITH BATTERY

RGBW LED BATTERY

Unit with internal lighting with battery-powered RGBW LED technology. Includes charger and remote control for switching colors and charger. Available only in matte ice white finish.

RGBW LED DMX BATTERY

Unit with internal lighting with RGBW LED technology supplied by a battery (includes charger and remote control unit for switching colors). Also controlled by DMX-1024 (wireless), enabling communica-tion between one or more products simultaneously via the DMX transmitter (not included). There are two options to choose from: Professional XLR DMX and Home WIFI DMX.

Both options can have 2 different configurations:

1* DMX Wireless Standard Configuration.

2* DMX Wireless Customized Configuration.

Finishes & Extras Nanos

Mini products made out of polyethylene resin. Item suitable for indoor and outdoor use.

NANO BASIC

Matte finish. The Ice matte finish can be illuminated.

NANO LACQUERED

High gloss lacquered.

EXTRAS / OPTIONS

NANO WHITE LED

Compact ice-colored unit with white LED lighting. For interior use only.

NANO RGBW LED WITH BATTERY (CHRISMY)

Compact ice-colored unit with white LED lighting. For interior use only. Charger and batteries included. (Includes remote control unit for changing color).

Finishes & Extras Pots & Planters

Pots and planters made out of a single walled polyethylene resin. Item suitable for outdoor use.

SIMPLE

Matte finish.

LACQUERED SIMPLE

High gloss lacquered.

BASIC

Matte finish.

The Ice matte finish can be illuminated.

SELF-WATERING SYSTEM

This system provides the plant with water whenever the plant needs it, this mechanism has an indicator that alerts us when the plant needs to be watered.

Available in matte and lacquered finishes only for indoor use.

Not recommended for outdoors. Due to the drainage, the indicator will not work properly.

LACQUERED

High gloss lacquered.

This self-watering system is included in the basic finish collections.

EXTRAS / OPTIONS

WHITE LED

White internally lit unit with LED technology. Available only in matte ice white finish.

RGBW LED

Unit with internal lighting with RGBW LED technology and remote control unit for switching colors. Available only in matte ice white finish. Remote control included.

RGBW LED DMX

Unit with internal lighting with RGBW LED technology and remote control unit for switching colors. Also controlled by DMX-1024 (wireless), enabling communication between one or more products simultane-ously via the DMX transmitter (not included). There are two options to choose from: Professional XLR DMX and Home WIFI DMX.

Both options are available in various configurations:

1* DMX Wireless Standard Configuration.

2* DMX Wireless Customized Configuration.

WITH BATTERY

RGBW LED BATTERY

Unit with internal lighting with battery-powered RGBW LED technology. Includes charger and remote control for switching colors and charger. Available only in matte ice white finish.

RGBW LED DMX BATTERY

Unit with internal lighting with RGBW LED technology supplied by a battery (includes charger and re-mote control unit for switching colors). Also controlled by DMX-1024 (wireless), enabling communication between one or more products simultaneously via the DMX transmitter (not included). There are two options to choose from: Professional XLR DMX and Home WIFI DMX. (Remote control included).

Both options can have 2 different configurations:

1* DMX Wireless Standard Configuration.

2* DMX Wireless Customized Configuration.



Bluetooth Sound System ✱

Connect your smartphone or tablet via Bluetooth to the built in speakers.

- Sound systems 200W Dual component.

- Bluetooth Ready v4.0.

- Input: AUX Jack 3,5 mm.

- USB Charger for portable gadget - Output 5V= 1500mA

Lightining

POWER SUPPLY

LED WHITE

- Simple color LEDs 4500 K

- 720 - 2800 LM Max. (Models subject to availability)

- 12 - 72 W Max. (Models subject o availability)

- Power supply: Mean Well / Class 2 / IN: 100-240V AC / 50-60Hz

- IEE: Class A

- IP65 / applicable for wet areas.

- Ta: 40°C

- 4-5 m. white cable Ho5RN-F 2G1 mm2 + Plug (EU - AUS - UK) ⚡ ⚡ ⚡

- 4-5 m. white cable SJTW - 2 x AWG18 + Plug (USA) ⚡ ⚡

- CE / RoHS / UL



NANO LED WHITE

- Simple color LEDs 4500 K

- 40 LM

- 14 W Max.

- Wall Power supply: IN: 100-240V AC / 50-60Hz

- IEE: Class A

- IP20 / indoor use only

- Ta: 35°C

- 2 Meters transparent cable with hand switch + EU Plug ⚡

- CE / RoHS

RGBW LED

- Multicolor LEDs RGBW

- Controller RF433 Mhz / 10-15 meters range

- 450 - 1100 LM Max. (Models subject to availability)

- 16 - 72 W Max. (Models subject to availability)

- Power supply: Mean Well / Class 2 / IN: 100-240V AC / 50-60Hz

- IEE: Class A

- IP65 / applicable for wet areas.

- Ta: 40°C

- 4-5 m. white cable Ho5RN-F 2G1 mm2 + Plug (EU - AUS - UK) ⚡ ⚡ ⚡

- 4-5 m. white cable SJTW - 2 x AWG18 + Plug (USA) ⚡ ⚡

- CE / RoHS / UL



RGBW LED DMX

- Multicolor LEDs RGBW

- Controller RF433 Mhz / 10-15 meters range

- DMX 1024 decoder / 2.4Ghz wireless signal/ compatible with IOS or Android & Professional Installations.

- DMX 1024 decoder / 2.4 Ghz wireless signal.

-Home WiFi DMX wireless controller, compatible with IOS and Android (not included)

-Professional DMX wireless controller, connector XLR (not included)

- 450 - 1100 LM Max. (Models subject to availability)

- 12 - 72 W Max. (Models subject to availability)

- Power supply: Mean Well / Class 2 / IN: 100-240V AC / 50-60Hz

- IEE: Class A

- IP65 / applicable for wet areas.

- Ta: 40°C

- 4-5 m. white cable Ho5RN-F 2G1 mm2 + Plug (EU - AUS - UK) ⚡ ⚡ ⚡

- 4-5 m. white cable SJTW - 2 x AWG18 + Plug (USA) ⚡ ⚡

- CE / RoHS / UL



BATTERY

BATTERY RGBW LED

- Multicolor LEDs RGBW

- Controller RF433 Mhz / 10-15 meters range

- 450 - 1100 LM Max. (depending on the model)

- 12 - 72 W Max. (depending on the model)

- Li-ion Battery 5.219 Ah (depending on the model) 12V / 6-8 h autonomy / Load 5h - 500 cycles

- Charger: 1.5A - 4A (depending on the model) IN: 100-240V AC / 50-60Hz

- IEE: Class A / CE / RoHS / IP65 (Suitable for wet areas)

- Ta: 40°C

BATTERY RGBW LED DMX

- Multicolor LEDs RGBW

- Controller RF433 Mhz / 10-15 meters range

- DMX 1024 decoder / 2.4 Ghz wireless signal.

-Home WiFi DMX wireless controller, compatible with IOS and Android (not included)

-Professional DMX wireless controller, connector XLR (not included)

- Li-ion Battery 5.2 - 19 Ah (depending on the model) 12V / 6-8 h autonomy / Load 5h - 500 cycles

- Charger: 1.5A - 4A (depending on the model) IN: 100-240V AC / 50-60Hz

- 1100 LM Max. (Models subject to availability)

- 12 - 72 W Max. (Models subject to availability)

- IEE: Class A / CE / RoHS / IP65 (Suitable for wet areas)

- Ta: 40°C

BATTERY NANO LED RGBW

- Multicolor LEDs

- Controller RF433 Mhz / 10-15 meters range

- 40 - 100 LM Max.

- 1.5 W Max.

- Li-ion Battery 2 Ah / 5V / 6-8 h autonomy / Load 5h / IN: 100-240V AC / 50-60Hz

- IEE: Class A / CE / RoHS / IP65 (Suitable for wet areas)

- Ta: 40°C

LED WHITE TABLE LAMPS

- Single LED Warm White 2700k°

- ON/OFF & Dimmer tactile

- 0.8W (Battery) - 3.3 W Max. (Power supply).

- Li-ion Battery 3000 mA 4.2V / 12 h autonomy / Load 4h - 500 cycles

- USB Charger 5v DC 1A / IN: 100-240V AC / 50-60Hz

- Ta: 40°C

- IEE: Class A++ / IP54 / CE

RGBW LED TABLE LAMPS

- 5 LEDs Colors. (Blue / Fucsia / Amber / Turquoise / Warm White 2700k°)

- ON/OFF & Dimmer tactile

- 0.8W (Battery) - 3.3 W Max. (Power supply).

- Li-ion Battery 3000 mA 4.2V / 12 h autonomy / Load 4h - 500 cycles

- USB Charger 5v DC 1A / IN: 100-240V AC / 50-60Hz

- Ta: 40°C

- IEE: Class A+ / IP54 / CE

RGBW LED DMX TABLE LAMPS

- 5 LEDs Colors. (Blue / Fucsia / Amber / Turquoise / Warm White 2700k°)

- ON/OFF & Dimmer tactile

- DMX 1024 decoder / 2.4 Ghz wireless signal.

-Home WiFi DMX wireless controller, compatible with IOS and Android (not included)

-Professional DMX wireless controller, connector XLR (not included)

- 0.8W (Battery) - 3.3 W Max. (Power supply).

- Li-ion Battery 3000 mA 4.2V / 12 h autonomy / Load 4h - 500 cycles

- USB Charger 5v DC 1A / IN: 100-240V AC / 50-60Hz

- Ta: 40°C

- IEE: Class A+ / IP54 / CE



EN | TECHNICAL INFORMATION

Material Features

POLYPROPYLENE

- Material: Polypropylene resin with glass fiber , UV stabilizer.
- Process: injection moulding.
- Shock resistant.
- Light weight.
- 100% recyclable.

POLYETHYLENE

- Material: Resin. Linear low-density poethylene. UL94 HB.
- Process: Rotational Moulding.
- Resistant to UVI. Fattore UV8, equivalent to 8.000 hours of Florida sunlight.
- Resistant to extreme temperatures (-60°C to + 80°C) / (-76°F to 176°F)
- Shock Resistant.
- Light weight
- The planters are easily drilled to make draining holes.
- Recyclable 100%.

POLYCARBONATE

- Material: Polycarbonate resin. Low viscosity, high strength.
- Process: Injection Moulding.
- Shock Resistant.
- Light weight
- Recyclable 100%.

ALUMINIUM (TABLE BASE)

- Material: AISI12 (EN AC-44100).
- Process: Cast aluminum.
- Shock Resistant.
- Recyclable 100%.
- Powder coated cast aluminum.

ALUMINUM (PROFILE)

- Material: 6060 (AlMgSi,3.3206,A96060).
- Process: Aluminum extrusion.
- Shock Resistant.
- Recyclable 100%.
- Lacquered.

TEAK WOOD

- Premium Indonesian teak is durable and exceptionally resistant to the elements
- Natural Teak weathers to a soft, silver-grey patina over time due to the effects of sun and moisture

- **Please check the web for maintenance and care of teak**

WEATHERED TEAK WOOD

- Premium Indonesian teak is durable and exceptionally resistant to the elements
- Weathered Teak's hand-applied, wire-brush finish offers an already weathered look

- **Please check the web for maintenance and care of teak**

PADDED FOAM

Polyurethane foam is suitable for outdoor use and in areas with high humidity.

Perfectly waterproof, high drying capacity, comfortable and easily cleaned.

Properties	Unit	Value	Specifications
Composition	-	100% Polyester	-
Maximum temperature	°C	110.0	±1.0
Manufacturing process	Dry carded and ternal drying		
Recyclability	100%, without additives or binding agents		

- Other caracterhics:
- It does not absorb or retain moisture.
 - It is not affected by mould, insects or rodents.
 - It does not cause irritation to the skin or the mucous membranes.

POLYURETHANE FOAM (UPHOLSTERED FURNITURE)

Furniture made produced with Polyurethane foam injected. The foam has high resilience and durability. The flexible Polyurethane foam is covered with a elastic cellular net that keeps the original product's shape after its use. Prevents fungal and bacterial growth.

- Mechanical properties.
- Tensile strength resistance: between 3 & 10 (Kp/cm2)
 - Compression resistance: between 1,5 & 9 (Kp/cm2)
 - Shear strength resistance: between 1 & 5 (Kp/cm2)
 - Modulus of elasticity: between 40 & 200 (Kp/cm2)

Fire Retardant certificates: UNE EN 1021-1:15 & UNE EN 1021-2:15, IMO – ANNEX 1 – PART 8 (MARITIME FIRE SAFETY STANDARDS), UNI 9175:2010, BS 5852:06.

Table Tops Features

DEKTON®

Ceramic surface with high resistance, suitable for indoor and outdoor use.

				Kelya	Entzo	Danae
Flexural tensile strength or modulus of rupture	UNE EN ISO 10545-4	Average flexural resistance	N/ mm2	46	45	55
		Average break load	N	2548	2313	2356
		Average break strength	N	14966	13559	13818
		Water absorption by boiling	%	0	0,1	0,1
Water absorption, apparent porosity, density	UNE EN ISO 10545-3	Water absorption by vacuum	%	0,1	0,1	0,1
		Open porosity	%	0,2	0,2	0,2
		Aparent relative density	g/cm3	2,51	2,61	2,53
		Aparent density	g/cm3	2,50	2,61	2,52
Resistance to deep abrasion	UNE EN ISO 10545-6	Wear volume	mm3	125	106	115
Impact resistance	UNE EN ISO 10545-5	Coefficient of restitution (COR)	-	0,85	0,85	0,85
Determination of linear thermal expansion	UNE EN ISO 10545-8	Expansion 30-100°C	°C-1	6,5 · 10-6	5,1 · 10-6	6,3 · 10-6
Thermal shock resistance	UNE EN ISO 10545-9	Damage	-	ULA (no dam-age)	ULA (no damage)	ULA (no damage)
Moisture expansion	UNE EN ISO 10545-10	Expansion max	mm/m	0,1	0,1	0,1
		Expansion mid	mm/m	0,0	0,0	0,0
Frost resistance	UNE EN ISO 10545-12	Damage	-	ULA (no damage)	ULA (no damage)	ULA (no damage)

HPL / SOLID CORE

HPL Tabletops for Mari-sol, Faz and Delta table bases thickness is 10mm ± 0,55.

Thickness	ISO 4586 ½	mm	13 ± 0,55	
Density	ISO 1183	Kg/m3	1400 - 1500	
Absorción de agua	ISO 4586 ½	%	Weight	2,0 max.
			Thickness	2,0 max.
Estabilidad dimensional a altas temperaturas	ISO 4586 ½	%	Long.	0,25 max.
			Trans.	0,55 max.
Hardness	ASTM D 785	HR E	97 ca	
Resistencia a la flexión	ISO 178	MPa	Long.	145 min
			Trans	135 min

GLASS

Security tempered glass. Thickness: 10 mm.

Technical Features	Units	Value
Resistant to soft body impact		2(B)2
Resistance against suddne temperature changes	K	40
Resistant to wind, snow and large weight	mm	10
Sound insulation	dB	34 (-1,-3)
Thermal Properties		
Thermal Transmittance (value U)	W/(m2,K)	5,6
Light Transmission tV		0.53
Light Refletion pV		0.06/0.06
Solar Transmission tE		0.52
Solar Reflection pE		0.06/0.06

Fabrics Features

Fabric	Weight Peso	Flame Resistance	Resistance	Color Fastness	Composition	Maintenance	Symbols
Nautical. Soft acrylic outdoor fabric with leather-like texture.	657 gr/m2	EN 1021 CAL TB 117 IMO MSC 307 NFPA 260 DIN 4102 B2 FMVVSS 302 ÖNORM A 3800 TEIL 1	>100.000 cycles	XENOTEST DIN 54004/NTC 1479 ASTM D-4329/ CFFA- 2 c2	Vinyl Coating, 100% Polyester Backing	Clean using a cotton cloth with neutral soap 1/9 water solution. Rub dry with a clean cloth and let dry.	
Silvertex. Soft-shiny acrylic outdoor fabric.	685 gr/m2	EN 1021 CAL TB 117 IMO MSC 307 DIN 4102 B2 NF P 92-503 / M2 UNE 23.727-90 IR/ M2 UNI 9175 NFPA 260	>300.000 cycles	>7 - DIN 54004 NTC 1479 (UV outdoor) 4 - ISO 105B04	Vinyl Coating, 100% Polyester Backing	Clean using a cotton cloth with neutral soap 1/9 water solution. Rub dry with a clean cloth and let dry.	
Savane. An irregular weave reveals its textural beauty. Suited naturally to all outdoor furnitures.	400 gr/m2	EN 1021 CAL TB 117 NFPA 260 BS 5852	50.000 cycles	(UV indoor) 8/8 - ISO 105B02 (UV outdoor) 4-5 - ISO 105B04	100% Acrylic	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry with a clean cloth and let dry.	
Dralon. Basic acrylic outdoor fiber for contract products' cushions.	185 gr/m2	BS 5852 EN 1021 BS7176 Low hazard	25.000 cycles	(UV indoor) 6-7/8 - ISO 105B02 (water) 5 - ISO 105E03/02/01	100% Acrylic	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	
Crevin. Upholstery fabric with a medium size and elegant weave. 40% made with recycled PET.	520 gr/m2	EN 1021 BS 5852 CAL TB 117 NFPA 260	60.000 cycles	(water) 4-5 - ISO 105E03/02/01 (UV outdoor) >6 - ISO 105B04	40% Recycled PET 60% PP	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry with a clean cloth and let dry.	
Heritage. Made using 50% of recycled plastics.	335 gr/m2	BS 5852 UNE 1021 CAL TB 117 NFPA 260	25.000 cycles	(UV indoor) 7-8/8 - ISO 105B02 (UV outdoor) 5/5 - ISO 105B04	50% Recycled acrylic, 47% Sunbrella acrylic, 3% PE	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	
Velum. Lightweight and semi-transparent fabrics for curtains. .	165 gr/m2	BS 5852 UNE 1021 CAL TB 117 NFPA 260	-	(UV indoor) 8/8 - ISO 105B02 (UV outdoor) 4-5 - ISO 105B04	100% Acrylic	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry and let dry.	
Batyline. breathable acrylic mesh used on sun loungers and sunroofs.	500 gr/m2	EN 1021 1-2 EN 13501 - 1 DIN 4102 B1 NFP 92-507 CAL TB 117 IMO MSC 307 NFPA 260	>120.000 cycles	4/5 ASTM G154	Polyester fibre protected with PVC coating.	Wash the mesh with a mild liquid detergent and fresh water, using a soft bristle brush. Batyline mesh has anti-fungal treatment where the moist will have no effect on it.	
Cico. Cozy fabric with an elegant look and soft touch.	423 gr/m2	BS 5852 UNE 1021 CAL TB 117	25.000 cycles	(UV indoor) 7/8 - ISO 105B02 (UV outdoor) 4/5 - ISO 105B04	100% Polypropylene	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	
Siesta. Cozy fabric with an elegant look and soft touch.	500 gr/m2	UNE 1021 CAL TB 117	60.000 cycles	-	100% Polypropylene	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	
Acapulco. Cozy fabric with an elegant look and soft touch.	500 gr/m2	BS 5852 UNE 1021 CAL TB 117	>30.000 cycles	-	100% Polypropylene	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	
Ikon 36. Cozy fabric with an elegant look and soft touch.	650 gr/m2	BS 5852 CAL TB 117	30.000 cycles	-	100% Polypropylene	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	
Krollet. Elegant fabric with a pleasant touch and great comfort.	985 gr/ml	BS 5852 CAL TB 117	40.000 cycles		94% PP + 6 % PC S.D.		
Varm. Cozy fabric with a pleasant touch and great comfort.	850 gr/m2	CAL TB 117 IMO MSC 307 BS 5852	60.000 cycles	Factor 7UV UNI EN ISO 20105-B02	100% Polypropylene		
Hygge. Cozy fabric with a pleasant touch and great comfort.	910 gr/m2	CAL TB 117 IMO MSC 307 BS 5852	60.000 cycles	Factor 7UV UNI EN ISO 20105-B02	100% Polypropylene	The whashing podwer should not contain oxidizing agents o brightening agents. In case of dropped liquid or water on the fbric remove all spills immediately but not the rub. Gently blot liquid spills with a clean dry cloth	
Glad. Premium fabric with a wide range of colours	975 gr/m2	CAL TB 117 IMO MSC 307 BS 5852	30.000 cycles	Factor 7UV UNI EN ISO 20105-B02	100% Polypropylene		

DMX Wireless

DMX 512 (Digital Multiplex) is a mechanism used for the electronic control of entertainment lighting, enabling communication between the control-table, our own lights and light sources. You can create customized and special environments. This allowed to control every Vondom product independently or in groups.

There are 2 different DMX Wireless, depending on our customer needs:

DMX WIRELESS PROFESSIONAL XLR PACK


Vondom DMX Wireless Professional XLR you can control all LED RGBW VONDOM pieces from your Mix Tables, PC+software, Domotic panels, etc.

1* DMX Wireless Standard Configuration


Preset three separate Family products: POTS, LAMPS & FURNITURE.

2* DMX Wireless Customized Configuration


You can send us your customized special environment that you want to control independently and we will set it up.



2* Example of DMX Wireless Professional Customized Configuration



Remote Control Instructions



- Repeat last order (Re-send order)
- ON / OFF
- Groups (A = Furniture and furnishings / B = Planters & Pots / C = Lamps) can be customized, 3 maximum items.
- Controls all groups simultaneously
- Automatic color change
- Memory Button (for programming custom colors) (consult "advanced functions")
- Programmed colors
- Warm White 2700K / Natural White 4000k / Cool White 6500k
- More / less (speed or intensity)

- Remote Control Battery: CR2032
- RF Controller: 433 Mhz / 10-15 meters (30-45 feet) range
- IP20 / indoor use only.

DMX WIRELESS HOME WIFI PACK


Vondom DMX Wireless Home Wi-Fi Pack is a WI-FI access point to control all LED RGBW VONDOM items with your IOS or Android devices.

1* DMX Wireless Standard Configuration


Preset three separate Family products: PLANTERS, LAMPS & FURNITURE.

2* DMX Wireless Customized Configuration

You can send us your customized requirements in order to control individually each item/group and we will set it up. (Max. 8 rooms).



2* Example of DMX Wireless Home Customized Configuration



MAINTENANCE & SAFETY GENERAL

Our productions are manufactured according to ISO 9001:2008 quality and ISO 14001:2004 environmental quality, by using high quality materials we guarantee long life of our products.

In order to provide a durable and safe use to the product, please follow the following recommendations:

- Continuous exposure to the sun (especially with the dark colors) can cause burning injuries by direct contact with your skin. To avoid this, please check the temperature of the furniture in case of long-term exposure to the sun.
- Place the item on a flat surface to avoid uncontrolLED movements.
- Keep the item far from excessive heat sources.
- The product is not a toy. To avoid accidents, do not to allow children to play with it.
- Keep furniture away dust to keep it clean, if cleaning is be required we recommended the use of pressure washers, such as KARCHER'S and/or domestic degreasing cleaner periodically. Never use abrasive or corrosive products.
- To preserve the product, we recommend the usage of VONDOM cover for every item.
- In the case of lacquered products, we recommended car wax every 2 or 3 months, as it will avoid the appearance of possible scratches.
- Outdoor cushions are available only some models. We recommended you clean them periodically with a cloth and basic soap and water.
- Clean the stainless steel parts with appropriate products.
- When changing bulbs, please make sure the cord is not connected to the main power.
- If cords suffer any damage, they must be changed exclusively by the manufacturer or by a professional.
- If the RGBW LED stops working, please do not handle it. Contact the manufacturer or your distributor immediately.



CLEANING GENERAL

Vondom Outdoor Furniture cleans easily and stays impeccable.

Steps for clean outdoor furniture:

1. Spray the degreaser over the dirty surface.
 2. Rub it with a damp cloth.
 3. Rinse with abundant water with pressure washer.
 4. Dry it outside and enjoy our products.
- Cautions! Don't use pressure washer for cushions and lacquered finish items.

We hope you enjoy our products. If you need any further information, please contact our CUSTOMER SERVICE department by calling **+34 96 239 84 86** or sending us an e-mail to **info@vondom.com**.

KEY ICONS

- Please avoid direct exposure to sun and rain.

Acabados y Extras Mobiliario

SIMPLE
Acabado mate.

LACADO 
Acabado lacado brillo.

BICOLOR LACADO 
Acabado lacado brillo en dos colores diferentes. Para evitar posibles daños no se recomienda apilar el producto.

EXTRAS / OPCIONES

LED BLANCO
Mobiliario con iluminación de color blanco mediante tecnología LED. Solo disponible en acabado hielo mate.

RGBW LED
Mobliario con iluminación interior mediante tecnología LED RGBW y mando a distancia para cambiar de color. Solo disponible en acabado hielo mate.

RGBW LED DMX
Mobiliario con iluminación interior mediante tecnología LED RGBW y mando a distancia para cambiar de color. Controlado también por DMX-1024 (wireless), permitiendo la comunicación entre uno o multiples productos simultaneamente mediante el transmisor DMX (no incluido). Hay dos opciones para seleccionar. Professional XLR DMX y Home WIFI DMX.
1º DMX Wireless configuración estandar.
2º DMX Wireless configuración personalizable según el cliente.

CON BATERÍA

RGBW LED BATTERY
Mobiliario con iluminación interior mediante tecnología LED RGBW, alimentado por una batería. Se incluye mando a distancia para cambiar de color y cargador. Solo disponible en acabado hielo mate.

RGBW LED DMX BATTERY
Mobiliario con iluminación interior mediante tecnología LED RGBW, alimentado por una batería (incluye cargador y mando a distancia para cambio de color). Controlado por DMX-1024 (wireless), permitiendo la comunicación entre uno o multiples productos simultaneamente mediante el transmisor DMX (no incluido). Hay dos opciones para seleccionar: Professional XLR DMX y Home WIFI DMX. Ambas opciones disponen de varias configuraciones:
1º DMX Wireless configuración estandar.
2º DMX Wireless configuración personalizable según el cliente.

Acabados y Extras Nanos

Producto de dimensiones reducidas fabricado en resina de polietileno, con doble pared. Producto apto para exterior e interior.

NANO BASIC
Acabado mate.

NANO LACADO 
Acabado lacado brillo.

EXTRAS / OPCIONES

NANO LED BLANCO
Producto de dimensiones reducidas color hielo con iluminación LED de color blanco. Sólo para interiores.
NANO LED RGBW CON BATERIA (CHRISMY)
Producto de dimensiones reducidas color hielo con iluminación mediante tecnología Led RGBW. Solo para interiores. Cargador y batería incluidos. (Incluye mando para cambiar de color).

Acabados y Extras Maceteros y Jardineras

SIMPLE
Acabado mate.

SIMPLE LACADA 
Acabado lacado brillo.

BASIC
Macetero acabado mate.

AUTORRIEGO
Macetero acabado mate con sistema de autorriego.

LACADO 
Macetero acabado lacado brillo con sistema de autorriego.

EXTRAS / OPCIONES

LED BLANCO
Maceta con sistema de autorriego con iluminación interior de color blanco mediante tecnología LED. Solo disponible en acabado hielo mate.

RGBW LED
Maceta con sistema de autorriego, que incluye iluminación interior mediante tecnología LED RGBW y mando a distancia para cambiar de color. Solo disponible en acabado hielo mate.

RGBW LED DMX
Maceta con sistema de autorriego, que incluye iluminación interior mediante tecnología LED RGBW y mando a distancia para cambiar de color. Controlado por DMX-1024 (wireless), permitiendo la comunicación entre uno o multiples productos simultaneamente mediante el transmisor DMX (no incluido). Hay dos opciones para seleccionar. Professional XLR DMX y Home WIFI DMX. Ambas opciones disponen de varias configuraciones:
1º DMX Wireless configuración estandar.
2º DMX Wireless configuración personalizable según el cliente.

CON BATERÍA

RGBW LED BATTERY
Maceta con sistema autorriego, que incluye iluminación interior mediante tecnología LED RGBW, ali-mentado por una batería. Se incluye mando a distancia para cambiar de color y cargador. Solo disponible en acabado hielo mate.

RGBW LED DMX BATTERY
Maceta con sistema autorriego, que incluye iluminación interior mediante tecnología LED RGBW, ali-mentado por una batería (incluye cargador y mando a distancia para cambio de color). Controlado por DMX-1024 (wireless), permitiendo la comunicación entre uno o multiples productos simultaneamente mediante el transmisor DMX (no incluido). Hay dos opciones para seleccionar: Professional XLR DMX y Home WIFI DMX. Ambas opciones disponen de varias configuraciones:
1º DMX Wireless configuración estandar.
2º DMX Wireless configuración personalizable según el cliente.



Bluetooth Sound System ✱

Conecta tu smartphone o tablet a los altavoces integrados en el mobiliario Vondom por Bluetooth.
- Sound systems 200W Dual component.
- Bluetooth Ready v. 4.0.
- Entrada: AUX Jack 3,5 mm.
- USB de carga para cualquier dispositivo portátil
- Salida 5V= 1500mA

Iluminación Información técnica

FUENTE DE ALIMENTACIÓN

LED BLANCO
- Color simple LEDs 4500 K
- 720 - 2800 LM Máx. (según modelos)
- 12 - 72 W Máx. (según modelos)
- Fuente de alimentación: Mean Well / Class 2 / IN: 100 - 240V AC / 50 - 60Hz
- IEE: Class A
- IP65 / aplicable para zonas húmedas
- Ta: 40°C

- 4-5 m. de cable Blanco Ho5RN-F 2G1 mm2 + Clavija (EU - AUS - UK)   
- 4-5 m. de cable Blanco SJTW - 2 x AWG18 + Clavija (USA) 
- CE / RoHS / UL



NANO LED BLANCO
- Color simple LEDs 4500 K
- 40 LM
- 14 W Máx.
- Fuente de alimentación de pared: IN: 100-240V AC / 50-60Hz
- IEE: Clase A
- IP20 / Aplicable para interiores
- 2 m. de cable Transparente con interruptor de mano + Clavija EU 
- Ta: 35°C
- CE / RoHS

LED RGBW
- Multicolor LEDs RGBW
- Controlador RF433 Mhz / 10-15 metros de alcance
- 450 - 1100 LM Máx. (según modelos)
- 12 - 72 W Máx. (según modelos)
- Fuente de alimentación: Mean Well / Class 2 / IN: 100-240V AC / 50-60Hz
- IEE: Clase A
- IP65 / Aplicable para zonas húmedas
- Ta: 40°C
- 4-5 m. de cable Blanco Ho5RN-F 2G1 mm2 + Clavija (EU - AUS - UK)   
- 4-5 m. de cable Blanco SJTW - 2 x AWG18 + Clavija (USA) 
- CE / RoHS / UL



LED RGBW DMX
- Multicolor LEDs RGBW
- Controlador RF433 Mhz / 10-15 metros de alcance
- Decodificador DMX 1024 / Señal sin cables 2.4 Ghz
-Controlador Home WiFi DMX Sin Cables, compatible con IOS y Android (no incluido)
-Controlador Profesional DMX Sin Cables, conector XLR (no incluido)
- 450 - 1100 LM Máx. (según modelos)
- 12 - 72 W Máx. (según modelos)
- Fuente de alimentación: Mean Well / Class 2 / IN: 100-240V AC / 50-60Hz
- IEE: Clase A
- IP65 / Aplicable para zonas húmedas
- Ta: 40°C
- 4-5 m. de cable Blanco Ho5RN-F 2G1 mm2 + Clavija (EU - AUS - UK)   
- 4-5 m. de cable Blanco SJTW - 2 x AWG18 + Clavija (USA) 
- CE / RoHS / UL



CON BATERÍA

LED RGBW BATERIA
- Multicolor LEDs RGBW
- Controlador RF433 Mhz / 10-15 metros de alcance
- 450 - 1100 LM Máx. (según modelos)
- 12 - 72 W Máx (según modelos)
- Batería Li-ion 5.2 - 19 Ah (según modelos) 12V / 6-8 h autonomía / Carga 5h - 500 ciclos /
- Cargador 1,5A - 4A (segun modelos) IN: 100-240V AC / 50-60Hz
- CE / RoHS / IP65 (Aplicable para zonas húmedas)
- Ta: 40°C

LED RGBW DMX + BATERIA
- Multicolor LEDs RGBW
- Controlador RF433 Mhz / 10-15 metros de alcance
- Decodificador DMX 1024 / Señal sin cables 2.4 Ghz
-Controlador Home WiFi DMX Sin Cables, compatible con IOS y Android (no incluido)
-Controlador Profesional DMX Sin Cables, conector XLR (no incluido)
- 450 - 1100 LM Máx. (según modelos)
- 12 - 72 W Máx (según modelos)
- Batería Li-ion 5.2 - 19 Ah (según modelos) 12V / 6-8 h autonomía / Carga 5h - 500 ciclos /
- Cargador 1,5A - 4A (segun modelos) IN: 100-240V AC / 50-60Hz
- CE / RoHS / IP65 (Aplicable para zonas húmedas)
- Ta: 40°C

NANO LED RGBW BATERIA
- Multicolor LEDs RGBW
- Controlador RF433 Mhz / 10-15 metros de alcance
- 40 - 100 LM Máx - 1.5 W Máx
- Batería Li-ion 2 Ah / 5V / 6-8 h autonomía / Carga 5h /
- Cargador 0,5A IN: 100-240V AC / 50-60Hz
- CE / RoHS / IP65 (Aplicable para zonas húmedas)
- Ta: 40°C

LED BLANCO LÁMPARAS DE MESA
- LED Blanco cálido 2700k°
- ON/OFF y Control de intensidad táctil
- 0.8W (Con batería) - 3.3 W Max. (Conectado a la corriente).
- Batería Li-ion 3000 mA 4.2V / 12 h autonomía / Carga 4h - 500 ciclos
- Cargador USB 5v DC 1A / IN: 100-240V AC / 50-60Hz
- Ta: 40°C
- IEE: Clase A++ / IP54 / CE

RGBW LED LÁMPARAS DE MESA
- 5 LEDs Colors. (Azul / Fucsia / Ámbar / Turquesa / Blanco cálido 2700k°)
- ON/OFF y Control de intensidad táctil
- 0.8W (Con batería) - 3.3 W Max. (Conectado a la corriente).
- Batería Li-ion 3000 mA 4.2V / 12 h autonomía / Carga 4h - 500 ciclos
- Cargador USB 5v DC 1A / IN: 100-240V AC / 50-60Hz
- Ta: 40°C
- IEE: Clase A+ / IP54 / CE

RGBW LED DMX LÁMPARAS DE MESA
- 5 LEDs Colors. (Azul / Fucsia / Ámbar / Turquesa / Blanco cálido 2700k°)
- ON/OFF y Control de intensidad táctil
- Decodificador DMX 1024 / Señal sin cables 2.4 Ghz
-Controlador Home WiFi DMX Sin Cables, compatible con IOS y Android (no incluido)
-Controlador Profesional DMX Sin Cables, conector XLR (no incluido)
- 0.8W (Con batería) - 3.3 W Max. (Conectado a la corriente).
- Batería Li-ion 3000 mA 4.2V / 12 h autonomía / Carga 4h - 500 ciclos
- Cargador USB 5v DC 1A / IN: 100-240V AC / 50-60Hz
- Ta: 40°C
- IEE: Clase A+ / IP54 / CE



Materiales Características

POLIPROPILENO

- Material: Resina de polipropileno con fibra de vidrio, Estabilizador UV.
- Proceso: moldeo por inyección.
- Resistente a los golpes.
- Ligero .
- 100% reciclable.

POLIETILENO

- Material: Resina de . Polietileno lineal de baja densidad. UL94 HB.
- Proceso: Moldeo rotacional.
- Resistente a UVI. Factor UV8, equivalente a 8.000 horas de sol de Florida.
- Resistente a temperaturas extremas (-60°C a +80°C) / (-76°F to 176°F)
- Resistente a impactos.
- Ligera.
- Reciclable 100%.

POLICARBONATO

- Material: Resina de policarbonato. Alta resistencia a la rotura.
- Proceso: moldeo por inyección.
- Resistente a los golpes.
- Ligero .
- 100% reciclable.

ALUMINIO (PIES DE MESA)

- Material: AISI12 (EN ACE-44100).
- Proceso: Fundición de aluminio.
- Resistente a los golpes.
- 100% reciclable.
- Pintado al horno con pintura epoxy.

ALUMINIO (PERFILERÍA)

- Material: 6060 (AlMgSi,3.3206,A96060).
- Proceso: Extrusión de aluminio.
- Resistente a los golpes.
- 100% reciclable.
- Pintado al horno con pintura epoxy.

MADERA DE TECA

- La teca indonesia premium es duradera y excepcionalmente resistente a los elementos
- La teca natural se desgasta hasta adquirir una pátina gris plateada suave con el tiempo debido a los efectos del sol y la humedad
- **Por favor consulte en la web el mantenimiento y cuidados de la teca**

MADERA DE TECA ENVEJECIDA

- La teca indonesia premium es duradera y excepcionalmente resistente a los elementos
- El acabado con cepillo de alambre aplicado a mano de la teca envejecjada ofrece un aspecto ya desgastado.

- **Por favor, consulte en la web el mantenimiento y cuidados de la teca**

RELLENO DE LOS COJINES PARA SILLAS

Espuma de poliuretano ideal para usos exteriores y en zonas con mucha humedad.

Características Técnicas	Unidad	Valor	Tolerancia
Composición	-	100% Poliéster	-
Tipo de fibra	-	Solida, semi-dull	-
Tª máxima de utilización	°C	110.0	± 1.0
Proceso de Fabricación	Cardado por vía seca y consolidado térmico.		
Reciclabilidad	100%, en cuanto a que no contiene aditivos ni ligantes.		

Otras Propiedades:

- No absorbe ni retiene humedad, no es putrescible.
- No constituye alimento para insectos ni roedores.
- No desprende partículas durante su manipulación. Es un producto inocuo, no irrita mucosas ni la piel.

ESPUMA DE POLIURETANO (PRODUCTOS TAPIZADOS)

Mobiliario fabricado en poliuretano flexible inyectado en frío. Este material posee una alta resiliencia y durabilidad. La espuma flexible de poliuretano posee una estructura celular abierta, es un material muy elástico, que cuando se retira la carga a la que haya sido sometida, recupera instantáneamente su forma original. Dificulta el crecimiento de hongos y bacterias.

- Resistencia a la tracción entre 3 y 10 (Kp/cm2)
- Resistencia a la compresión entre 1,5 y 9 (Kp/cm2)
- Resistencia al cizallamiento entre 1 y 5 (Kp/cm2)
- Módulo de elasticidad entre 40 y 200 (Kp/cm2)

Certificados Ignífugos: UNE EN 1021-1:15 & UNE EN 1021-2:15, IMO – ANNEX 1 – PART 8 (MARITIME FIRE SAFETY STANDARDS), UNI 9175:2010, BS 5852:06.

Sobres de mesa Características

DEKTON ®

Superficies cerámicas de alta resistencia, apto para uso interior y exterior.

				Kelya	Entzo	Danae
Resistencia a la flexión y carga de rotura.	UNE EN ISO 10545-4	Resistencia flexión media	N/mm2	46	45	55
		Carga de rotura media	N	2548	2313	2356
		Fuerza de rotura media	N	14966	13559	13818
Absorción de agua, porosidad abierta y densidades.	UNE EN ISO 10545-3	Absorción de agua por ebullición	%	0	0,1	0,1
		Absorción de agua por vacío	%	0,1	0,1	0,1
		Porosidad abierta	%	0,2	0,2	0,2
		Densidad relativa aparente	g/cm3	2,51	2,61	2,53
		Densidad aparente	g/cm3	2,50	2,61	2,52
Abrasión profunda.	UNE EN ISO 10545-6	Volumen abrasonado	mm3	125	106	115
Resistencia al impacto.	UNE EN ISO 10545-5	Coefficiente de restitución medio	-	0,85	0,85	0,85
Dilatación térmica lineal.	UNE EN ISO 10545-8	Dilatación entre 30-100°C	°C ⁻¹	6,5 · 10 ⁻⁶	5,1 · 10 ⁻⁶	6,3 · 10 ⁻⁶
Resistencia a choque térmico.	UNE EN ISO 10545-9	Daño	-	Pasa sin daño	Pasa sin daño	Pasa sin daño
Dilatación por humedad.	UNE EN ISO 10545-10	Expansión máxima	mm/m	0,1	0,1	0,1
		Expansión media	mm/m	0,0	0,0	0,0
Resitencia a la helada.	UNE EN ISO 10545-12	Daño	-	Pasa sin daño	Pasa sin daño	Pasa sin daño

HPL / SOLID CORE

Tableros prensado a alta presión y alta temperatura.

Grosor	ISO 4586 ½	mm	13 ± 0,55	
Densidad	ISO 1183	Kg/m3	1400 - 1500	
Absorción de agua	ISO 4586 ½	%	Peso	2,0 max.
			Espesor	2,0 max.
Estabilidad dimensional a altas temperaturas	ISO 4586 ½	%	Long.	0,25 max.
			Trans.	0,55 max.
Dureza	ASTM D 785	HR E	97 ca	
Resistencia a la flexión	ISO 178	MPa	Long.	145 min
			Trans	135 min

VIDRIO

Cristal templado de seguridad. Grososr: 10 mm.

Resistencia al impacto de cuerpo blando		2(B)2
Resistencia contra cambios repentinos de temperatura y diferenciales de temperatura	K	40
Resistencia al viento, nieve, carga permanente e impuesta	mm	10
Atenuación acústica al ruido aéreo directo	dB	34 (-1,-3)
Transmisión térmica (valor U)	W/(m2,K)	5.6
Transmisión luminosa tV		0.53
Reflexión luminosa pV		0.06/0.06
Transmisión energía solar tE		0.52
Reflexión energía solar pE		0.06/0.06

Fabrics Features

	FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Nautical. Suave tela acrílica para exteriores con textura similar al cuero..		657 gr/m2	EN 1021 CAL TB 117 IMO MSC 307 NFPA 260 DIN 4102 B2 FMVSS 302 ÖNORM A 3800 TEIL 1	>100.000 ciclos	XENOTEST DIN 54004/NTC 1479 ASTM D-4329/ CFFA- 2 c2	revestimiento de vinilo, 100% Poliester Backing	Limpiar usando un trapo de algodondon con jabon neutro diluido en 1/9 partes de agua. Seque con un paño limpio y deje secar.	    
Silvertex. Tela de exterior acrílica suave y brillante.		685 gr/m2	EN 1021 CAL TB 117 IMO MSC 307 DIN 4102 B2 NF P 92-503 / M2 UNE 23.727-90 IR/ M2 UNI 9175 NFPA 260	>300.000 ciclos	>7 - DIN 54004 NTC 1479 (UV outdoor) 4 - ISO 105B04	revestimiento de vinilo, 100% Poliester Backing	Limpiar con un paño de algodón con solución de jabón neutro 1/9 de agua. Secar con un paño limpio y dejar secar	    
Savane. Un tejido irregular revela su belleza textural. Se adapta naturalmente a todos los muebles de exterior.		400 gr/m2	EN 1021 CAL TB 117 NFPA 260 BS 5852	50.000 ciclos	(UV indoor) 8/8 - ISO 105B02 (UV outdoor) 4-5 - ISO 105B04	100% Acrilico	Limpiar con un paño de algodón con 1/5 de solución de lejía doméstica. Retire todos los residuos de lejía con agua. Seque con un paño limpio y deje secar.	 
Dralon. Fibra acrílica básica para exterior para cojines de productos contract.		185 gr/m2	BS 5852 EN 1021 BS7176 Low hazard	25.000 ciclos	(UV indoor) 6-7/8 - ISO 105B02 (water) 5 - ISO 105E03/02/01	100% Acrilico	Limpiar con un paño de algodón con solución jabonosa neutra. Seque con un paño limpio y deje secar.	
Crevin. Tela de tapicería de tamaño medio y trama elegante. 40% fabricado con PET reciclado.		520 gr/m2	EN 1021 BS 5852 CAL TB 117 NFPA 260	60.000 ciclos	(water) 4-5 - ISO 105E03/02/01 (UV outdoor) >6 - ISO 105B04	40% Reciclado PET 60% PP	Limpiar con un paño de algodón con 1/5 de solución de lejía doméstica. Retire todos los residuos de lejía con agua. Seque con un paño limpio y deje secar.	
Heritage. Fabricado con un 50% de plásticos reciclados.		335 gr/m2	BS 5852 UNE 1021 CAL TB 117 NFPA 260	25.000 ciclos	(UV indoor) 7-8/8 - ISO 105B02 (UV outdoor) 5/5 - ISO 105B04	50 % acrílico reciclado, 47 % acrílico Sunbrella, 3 % PE	Limpiar con un paño de algodón con solución jabonosa neutra. Seque con un paño limpio y deje secar.	
Velum. Tejidos ligeros y semitransparentes para cortinas..		165 gr/m2	BS 5852 UNE 1021 CAL TB 117 NFPA 260	-	(UV indoor) 8/8 - ISO 105B02 (UV outdoor) 4-5 - ISO 105B04	100% Acrilico	Limpiar con un paño de algodón con 1/5 de solución de lejía doméstica. Retire todos los residuos de lejía con agua. Frote y deje secar.	 
Batyline. Malla acrílica transpirable utilizada en tumbonas y techos solares.		500 gr/m2	EN 1021 1-2 EN 13501 - 1 DIN 4102 B1 NFP 92-507 CAL TB 117 IMO MSC 307 NFPA 260	>120.000 ciclos	4/5 ASTM G154	Fibra de poliéster protegida con revestimiento de PVC.	Lave la malla con un detergente líquido suave y agua dulce, utilizando un cepillo de cerdas suaves. La malla Batyline tiene tratamiento anti hongos donde la humedad no le afectará.	
Cico. Tejido acogedor de aspecto elegante y tacto suave.		423 gr/m2	BS 5852 UNE 1021 CAL TB 117	25.000 ciclos	(UV indoor) 7/8 - ISO 105B02 (UV outdoor) 4/5 - ISO 105B04	100% polipropileno	Limpiar con un paño de algodón con solución jabonosa neutra. Seque con un paño limpio y deje secar.	    
Siesta. Tejido acogedor de aspecto elegante y tacto suave.		500 gr/m2	UNE 1021 CAL TB 117	60.000 ciclos	-	100% polipropileno	Limpiar con un paño de algodón con solución jabonosa neutra. Seque con un paño limpio y deje secar.	    
Acapulco. Tejido acogedor de aspecto elegante y tacto suave.		500 gr/m2	BS 5852 UNE 1021 CAL TB 117	>30.000 ciclos	-	100% polipropileno	Limpiar con un paño de algodón con solución jabonosa neutra. Seque con un paño limpio y deje secar.	    
Ikon 36. Tejido acogedor de aspecto elegante y tacto suave		650 gr/m2	BS 5852 CAL TB 117	30.000 ciclos	-	100% polipropileno	Limpiar con un paño de algodón con solución jabonosa neutra. Seque con un paño limpio y deje secar.	    
Krollet. Elegant fabric with a pleasant touch and great comfort.		985 gr/ml	BS 5852 CAL TB 117	40.000 cycles	-	94% PP + 6 % PC S.D.		
Varm. Tejido acogedor de tacto agradable y gran comodidad.		850 gr/m2	CAL TB 117 IMO MSC 307 BS 5852	60.000 cycles	Factor 7UV UNI EN ISO 20105-B02	100% polipropileno	El detergente en polvo no debe contener agentes oxidantes ni abrillantadores. En caso de que caiga líquido o agua sobre la tela, elimine todos los derrames inmediatamente, pero no frote el tejido. Seque suavemente los derrames de líquidos con un paño limpio y seco.	    
Hygge. Tejido acogedor de tacto agradable y gran comodidad.		910 gr/m2	CAL TB 117 IMO MSC 307 BS 5852	60.000 cycles	Factor 7UV UNI EN ISO 20105-B02	100% polipropileno		
Glad. Tejido premium con una amplia gama de colores.		975 gr/m2	CAL TB 117 IMO MSC 307 BS 5852	30.000 cycles	Factor 7UV UNI EN ISO 20105-B02	100% polipropileno		

DMX Sin cables

DMX 512 (Digital MultipleX), es un protocolo electrónico utilizado en luminotecnia para el control de la iluminación de espectáculos, permitiendo la comunicación entre los equipos de control de luces y las propias fuentes de luz.


DMX Sin Cables. Puedes crear ambientes especiales y personalizados. Permite controlar cada producto Vondom de manera independiente o en grupos.

Hay 2 tipos de DMX Wireless, dependiendo las necesidades del cliente.


DMX WIRELESS PROFESSIONAL XLR PACK

Con Vondom DMX Profesional XLR Sin cables se puede controlar todos los productos VONDOM mediante una mesas de mezclas, Ordenadores + Programa, Paneles Domoticos, etc.

- 1* DMX Wireless Configuración Estándar
Están preconfiguradas tres Familias independientes: MACETAS, LAMPARAS, MOBILIARIO.
- 2* DMX Wireless Configuración Personalizada
Puede indicarnos los productos o grupos que necesita controlar independientemente y nosotros lo configuraremos.



2* Ejemplo de configuración personalizada DMX Wireless Professional




DMX IS FUN!


DMX WIRELESS HOME WIFI PACK

El paquete Home Wi-Fi Vondom DMX Sin cables es un punto de acceso Wi-Fi con el que controlar todos sus productos VONDOM mediante sus dispositivos IOS o Android.

- 1* DMX Wireless Configuración Estándar
Están preconfiguradas tres Familias independientes: MACETAS, LAMPARAS, MOBILIARIO.
- 2* DMX Wireless Configuración Personalizada
Puede indicarnos los productos o grupos que necesita controlar independientemente y nosotros lo configuraremos. (Máx. 8 zonas)



2* Ejemplo de configuración personalizada DMX Wireless Home



MANTENIMIENTO Y SEGURIDAD GENERAL

Nuestra producción se rige según las normas de nuestro sistema de aseguramiento de la calidad ISO 9001:2008 y de medio ambiente ISO 14001:2004. Y solamente utilizamos materiales de altísima calidad para garantizar una larga vida útil a los productos.

- Para proporcionarle un uso duradero y seguro al producto, por favor siga las siguientes instrucciones:
- La exposición continua al Sol, especialmente los colores oscuros, puede provocar lesiones por contacto con la piel. Tenga la precaución de verificar la temperatura de los muebles antes de su uso en horas de sol extremo.
- Coloque la pieza en una superficie regular y sin pendiente para evitar desplazamientos incontrolados.
- Manténgala alejada de fuentes de calor excesivas.
- El producto no es un juguete. No permita que los niños jueguen con ellos, para evitar accidentes.
- Mantenga sus muebles fuera de fuentes de polvo para mantenerlos limpios. En caso de que se requiera su limpieza se recomienda el uso de sistemas de presión de agua tipo KARCHER y/o desengrasantes domésticos de forma periódica. Nunca utilice productos abrasivos o corrosivos.
- Para una mejor conservación del mobiliario, se aconseja cubrir con fundas para cada uno de los artículos.
- En los productos lacados hay que extremar su cuidado puesto que son más delicadas, no debe utilizar agua a presión ni productos abrasivos o corrosivos. Para ello, es aconsejable aplicar cada 2 ó 3 meses cera de carrocería y así eliminar la aparición de posibles arañazos.
- Existen acolchados aptos para el exterior, disponibles para algunas colecciones. Se recomienda limpiarlos periódicamente utilizando un paño con jabón neutro y agua.
- Limpie las partes de acero inoxidable con productos adecuados.
- En caso de sustituir la bombilla, asegúrese de que el cable no está conectado a la corriente eléctrica.
- Si el cable sufre algún deterioro, debe cambiarse exclusivamente por el fabricante o por un profesional.
- Si el LED dejara de funcionar, no manipular en ningún caso y contactar con el fabricante o distribuidor del producto.

LIMPIEZA GENERAL

- Vondom Mobiliario de exterior se limpia fácilmente y permanece impecable.
- Pasos para limpiar mobiliario the exterior:
 1. Pulverice con un quitagrasas la superficie a limpiar.
 2. Frote con un paño húmedo y agua.
 3. Aclare con abundante agua con un sistema de agua a presión.
 - ¡Atención! No use el sistema de agua a presión para acolchados y acabados lacados.
 4. Déjalo secar en el exterior.
- Esperemos que disfrute de nuestros productos. Si desea más información no dude en comunicárselo a nuestro departamento de ATENCIÓN AL CLIENTE llamando al **+34 96 239 84 86** o enviando un correo electrónico a **info@vondom.com**

LEYENDAS

- Evitar la exposición directa al sol y la lluvia.

ES | Las posibles diferencias entre el color original y el color reproducido se deben a la técnica de impresión.

VONDOM se reserva el derecho exclusivo sobre todas las marcas, fotografías y diseños utilizados en sus colecciones, por lo que queda prohibida la fabricación, distribución y/o comercialización de los productos que los contienen, en cualquier medio o soporte.

En particular quedan reservados a favor de su titular los derechos de reproducción total o parcial, la transformación de los mismos y/o su utilización fuera de la esfera privada y con fines comerciales.

VONDOM se reserva el derecho de modificar total o parcialmente sin aviso previo cualquiera de los datos y especificaciones de esta publicación.

Toda la información que aparece en este catálogo referente a dimensiones y capacidades son aproximadas.

© Copyright. 2023. Vondom, S.L.U.

Todos los Derechos a beneficio de VONDOM

EN | The possible differences between pictures and real items could be due to the colors in the printing technology process.

VONDOM all rights related to trademarks, pictures and designs are reserved.

All manufacturing distribution and/or trading activities in any media of the products displayed in the collections are prohibited. Specifically those rights about total or partial reproduction, transformation and/or usage in public with commercial purposes.

VONDOM reserves the right to effect any changes or improvements, without notice.

All the information included in this catalogue regarding sizes and capacities are approximated.

© Copyright. 2023. Vondom, S.L.U.

All rights reserved to the order of VONDOM

Control Remoto Instrucciones

Repetir la última orden (Enviar la orden de nuevo)

on / off

Grupos (A = Mobiliario / B = Macetas / C = Lámparas) Se pueden personalizar, maximo 3.

Controlar todas los grupos a la vez

Cambio de color automático

Botón Memoria (para programar un color personalizado) (consultar las funciones avanzadas)

Colores programados

Blanco cálido 2700K / Blanco natural 4000k / Blanco frio 6500k

Mas o menos (velocidad o intensidad)

- Pilas para el Control Remoto: CR2032
- Controlador RF 433 Mhz / 10-15 metros de alcance.
- IP20 / Apto solo para uso interior.





floresymuchomas
GRUPO OROINCIENSOYMIRRA

ATENCIÓN TELEFÓNICA
Lunes a Domingo

7:00 - 23:00

91 736 00 64

equipo@oroinciensoymirra.com
www.floresymuchomas.com